



# Paasche®

## Airbrush Company

*Airbrushes made in the USA  
Since 1904*



TM



TM



TM

CATALOG 2011

[www.paascheairbrush.com](http://www.paascheairbrush.com) • E-Mail: [info@paascheairbrush.com](mailto:info@paascheairbrush.com)



**Paasche®** provides the largest selection of airbrush models, industrial sprayers and support equipment worldwide. Using only the highest quality materials in combination with the tightest quality control, Paasche products are unequalled by any other airbrush manufacturer in the world. Each unit is carefully assembled, individually inspected and finally tested in actual use by highly skilled craftsmen, in the USA, to meet Paasche's high standard of excellent performance.

## ABOUT AIRBRUSHES

### DOUBLE ACTION AIRBRUSH

Refers to the method action required to control spray pattern. Pressing down on the button activates the amount of air flow and pulling back determines the amount of fluid released. This allows the user to change the width of line, color, and the opaqueness of color with one hand. Double Action models take more practice to use but are better for free hand detail work. All Teflon® packings.

### SINGLE ACTION AIRBRUSH

Unlike the double action where air and fluid controls are combined, these same controls are independent of each other with the single action airbrush. While one hand is releasing a pre-set amount of air by pressing down on the button, the other hand adjusts a separate control for color feed. Single action models are quick to learn and easy to use. They tend to be best for spraying solid coats, uniform lines or dots and stencil work. They clog less easily than the double action internal mix models and can spray slightly heavier paints.

### INTERNAL MIX

Method in which air and paint are mixed inside the airbrush producing a fine spray.

### EXTERNAL MIX

Method in which air and paint are mixed outside the airbrush producing a larger spray.

### GRAVITY FEED

Gravity Feed models include all airbrushes that have material containers on top of the airbrush body.

### SIPHON BOTTOM FEED

Siphon Feed models have material containers with connections at the bottom of the airbrush body.

### SIPHON SIDE FEED

Siphon Side Feed models have material containers with connections at the left or right side of the airbrush body.

## AIRBRUSH SELECTION GUIDE: BACK COVER

### TABLE OF CONTENTS

<u>ITEM:</u>	<u>PAGE</u>	<u>ITEM:</u>	<u>PAGE</u>
<b>DOUBLE ACTION - INTERNAL MIX</b>		L SPRAYER	17
VL, VLS and VLSTPRO - SIPHON FEED	3-5	KRG and KRS HVLP SERIES	18
MIL - SIPHON FEED	6	AU SERIES	18
54 GRAVITY FEED AIRPAINTING UNIT	8		
TG TALON GRAVITY FEED <i>NEW - 2008</i>	7	<b>OTHER IMPORTANT ITEMS</b>	
TS TALON SIPHON FEED <i>NEW - 2010</i>	5	ACCESSORIES and HARDWARE	22
VSR90 - GRAVITY FEED	8	ACRYLIC PAINTS	29
VJR - GRAVITY FEED	8-9	AIR COMPRESSORS	19-20
V and VV - SIDE FEED	9	AIR HOSE and AIR HOSE TO AIRBRUSH ADAPTERS	21
<b>SINGLE ACTION - EXTERNAL MIX</b>		AIR PROPELLANT CANS	20
H and HS - SIPHON FEED	10-12	AIRBRUSH STORAGE CASES	24
F - SIPHON FEED	14	AIRBRUSH TANNING SETS	25-26
EZ-STARTER - SIPHON FEED	14	AIRBRUSH TATTOOING SETS	26-27
<b>SINGLE ACTION - INTERNAL MIX</b>		BOOKS and DVD'S	27
SI SIPHON FEED <i>NEW - 2010</i>	12-13	BOTTLES, COVERS, GASKETS	24
62 SPRAYER - SIPHON FEED	13	CUP, BOTTLE and COVER ASSEMBLIES COMPLETE	23
<b>AIRBRUSH PACKAGES and SPECIALTY ITEMS</b>		LEISURE TAN® SOLUTIONS	25
AIRBRUSH PACKAGES <i>NEW - 2009</i>	15	RESPIRATORS	24
AEC, AEC-K and AECR	16	SPRAY BOOTHS	30-31
ABRASIVE COMPOUND	16	STENCILS: TATTOOS, NAILS & DESIGNS	28
LAC ABRASIVE GUN	17	TATTOO PAINTS	29
HAPK	17	TURNTABLES	30
FP	17		

Cover Art (Talon Logo) by Leon J. Carver

# AIRBRUSH – DOUBLE ACTION – SIPHON FEED – INTERNAL MIX

The VL, VLS and VLSTPRO Airbrush Designs and the Packaging are Trademarks (TM) of Paasche Airbrush Company.

The **VL, VLS & VLSTPRO** airbrushes offer more versatility. This model can achieve spray patterns from fine detail to broader coverage handling light, medium and heavy fluids. Fluids are siphon fed from Color Cup or Bottle Assembly (see page 23). Suitable for both left or right-handed users. The **VL** has a Tapered Socket for securing Bottle or Cup. The **VLS & VLSTPRO** have a Threaded Swivel Nut for extra secure attachment to Bottle Assemblies. **Teflon® packings.**

**VLSTPRO** is a significant upgrade to the classic VL with features that airbrushers of all levels will appreciate, such as the Rounded Trigger Button that rolls under your finger for greater comfort. The Paint Picker Aircap lets you clean accumulations of paint off the tip and needle with a quick pinch of the fingers. The Trigger Guide has been lengthened for increased paint flow at maximum draw, and the Cut-Away Handle allows quick pullback to blow out clogs. A Threaded Bottle Connector fitting locks onto the bottle stem for worry-free one-handed painting - the bottle will not fall off once fastened properly. Optional Color Cup and Bottle Assemblies are available for larger volumes of paint (see page 23). **Teflon® packings.**



- Size #1** Light Fluids-Spray Pattern 1/64" - 1" (.55mm Tip opening)
- Size #3** Medium Fluids-Spray Pattern 1/32" - 1 1/4" (.73mm Tip opening)
- Size #5** Heavy Fluids-Spray Pattern 1/16" - 1 1/2" (1.07mm Tip opening)

## Airbrush only (Less Accessories)

VL#1L, VL#3L or VL#5L

VLS#1L, VLS#3L or VLS#5L

VLSTPRO#3L

To convert to #1 or #5 buy matched -Tip, Needle & Aircap

Recommended Air Pressure .5 to 1 CFM @ 20 to 45 lbs. depending on tip size and fluid being sprayed. Clean, dry air is essential for best results.

Shipping Weight: 7 oz. (198g)

## Airbrush Complete

VL#1, VL#3 or VL#5

VLS#1, VLS#3 or VLS#5

VLSTPRO#3

To convert to size #1 or #5 buy matched -Tip, Needle and Aircap



**COMPONENTS:** VL, VLS or VLSTPRO Double Action Airbrush (Select Type), VL-1/4-OZ Metal Color Cup (1/4oz/7cc), VL-189 Head Protecting Cap, V-62 Wrench, A-34 Hanger, TTALB "22 Airbrush Lessons" Booklet, **Parts List** and **Storage Case.**

Shipping Weight: 12 oz. (340g)



## VL-SET Airbrush Set

### VL-SET COMPONENTS:

- VL#3** Double-Action Airbrush
- A-1/8-6** 6' Air Hose w/Couplings
- VL-1/4-OZ** Metal Color Cup (1/4oz/7cc)
- VL-1-OZ** Bottle Assembly (1oz/29cc)
- H-194** Bottle, Cap/Gasket (1oz/29cc)
- VLT-1 & VLT-5** Tips
- VLN-1 & VLN-5** Needles
- VLA-1 & VLA-5** Aircaps
- A-34 & V-62** Hanger & Wrench
- TTALB** "22 Airbrush Lessons" Booklet

Shipping Weight: 1 lb. 2 oz. (510g)



## VLS-SET Airbrush Set

### VLS-SET COMPONENTS:

- VLS#3** Double-Action Airbrush
- A-1/8-6** 6' Air Hose w/Couplings
- VL-1/4-OZ** Metal Color Cup (1/4oz/7cc)
- VLS-1-OZ** Bottle Assembly (1oz/29cc)
- H-194** Bottle, Cap/Gasket (1oz/29cc)
- VLT-1 & VLT-5** Tips
- VLN-1 & VLN-5** Needles
- VLA-1 & VLA-5** Aircaps
- A-34 & V-62** Hanger & Wrench
- TTALB** "22 Airbrush Lessons" Booklet

Shipping Weight: 1 lb. 2 oz. (510g)





# AIRBRUSH – DOUBLE ACTION – SIPHON FEED – INTERNAL MIX

The VL, VLS, VL202 and VLS202 Airbrush Designs and Packaging are Trademarks (TM) of Paasche Airbrush Company.



## **VL202-SET** Airbrush Set w/Metal Handle ( year 2011 part No. change to VL-202S )

### VL202 COMPONENTS:

MVL#3	Double-Action Airbrush
VL-1/4-OZ	Metal Color Cup (1/4oz/7cc)
VL-1-OZ	Bottle Assembly (1oz/29cc)
H-194	Bottle, Cap/Gasket (1oz/29cc)
VLT-1 & VLT-5	Tips
VLN-1 & VLN-5	Needles
VLA-1 & VLA-5	Aircaps
A-34 & V-62	Hanger & Wrench
A-1/8-6	6' Air Hose w/Couplings
TTALB	"22 Airbrush Lessons" Booklet
Shipping Weight: 1 lb. 3 oz. (539g)	



## **VLS202-SET** Airbrush Set w/Metal Handle ( year 2011 part No. change to VLS-202S )

### VLS202 COMPONENTS:

MVLS#3	Double-Action Airbrush
VL-1/4-OZ	Metal Color Cup (1/4oz/7cc)
VLS-1-OZ	Bottle Assembly (1oz/29cc)
H-194	Bottle, Cap/Gasket (1oz/29cc)
VLT-1 & VLT-5	Tips
VLA-1 & VLA-5	Aircaps
VLN-1 & VLN-5	Needles
A-34 & V-62	Hanger & Wrench
A-1/8-6	6' Air Hose w/Couplings
TTALB	"22 Airbrush Lessons" Booklet
Shipping Weight: 1 lb. 3 oz. (539g)	



## **Deluxe Wood Carrying Case**



## **VL-WOOD** Airbrush Set ( year 2011 part No. change to VL-3W )

### VL-WOOD COMPONENTS:

VL#3	Double-Action Airbrush
VL-1-OZ	Color Bottle (1oz/29cc)
H-194	Plain Jar, Cover & Gskt. (1oz/29cc)
A-1/8-6	6' Air Hose w/AC-20 & AC-1/8
VLT-1 & VLT-5	Tips
VLN-1 & VLN-5	Needles
VLA-1 & VLA-5	Aircaps
A-34 & V-62	Hanger & Wrench
VL-1/4-OZ	1/4oz./7cc Metal Color Cup
TTALB	"22 Airbrush Lessons" Booklet
Parts List	
Shipping Weight: 2 lbs. 12 oz. (1.25kg)	



## **VLSTPRO-WOOD** Airbrush Set ( year 2011 part No. change to VLST-3W )

### VLSTPRO-WOOD COMPONENTS:

VLSTPRO#3	Double-Action Airbrush w/PP-3
VLS-1-OZ	Color Bottle (1oz/29cc)
H-194	Plain Jar, Cover & Gskt. (1oz/29cc)
A-1/8-6	6' Air Hose w/AC-20 & AC-1/8
VLN-1 & VLN-5	Needles
VLT-1 & VLT-5	Tips
PP-1 & PP-5	Paint Picker Aircaps
A-34 & V-62	Hanger and Wrench
VL-1/4-OZ	1/4oz./7cc Metal Color Cup
TTALB	"22 Airbrush Lessons" Booklet
Parts List	
Shipping Weight: 2 lbs. 12 oz. (1.25kg)	



## **AP-VL** Paint Kit

Suitable for virtually any airbrush work including fine detail. Perfect for the Artist, Craftsman, Decorator and Hobbyist. This Kit includes (3) Paasche Extreme Airbrush Acrylic Paints and (1) Extreme Airbrush Cleaner.

### AP-VL COMPONENTS:

VL#3	Professional Double-Action Internal-Mix Airbrush
A-1/8-4	4' Air Hose w/Couplings
VL-1-OZ	Color Bottle Assembly (1oz/29cc)
21VL	Paint Bottle Cover Assemblies (3 each)
APC-1	Extreme Airbrush Cleaner, 1 oz. Bottle (1 only)
AP	Extreme Acrylic Paints, 1 oz. Bottles (3 each, colors may vary)
V-62	Wrench
TTALB	"22 Airbrush Lessons" Booklet
Parts List	
Shipping Weight: 1 lb. 2 oz. (510g)	



## **2P-VL** TRAVELER'S KIT

This airbrush spray kit is ideal for hobby or industrial work where a compressor or electricity is not available. The Pressure Tank contains a gas that will not harm the Earth's atmosphere.

### 2P-VL COMPONENTS:

VL#3	Double-Action Internal-Mix Airbrush
A-1/8-4	4' Air Hose w/Couplings
VL-1-OZ	Color Bottle Assembly (1oz/29cc)
H-194	Plain Jar, Cover & Gasket (1oz/29cc)
NO.2	Pressure Tank
3B	Tank Valve
V-62	Wrench
TTALB	"22 Airbrush Lessons" Booklet

Shipping Weight: 2 lbs. 1.3 oz. (.966kg)



# AIRBRUSH – DOUBLE ACTION – SIPHON FEED – INTERNAL MIX

The VL and TS Airbrush Designs and Packaging are Trademarks (TM) of Paasche Airbrush Company.




## 2000VL HOBBY AIRBRUSH KIT

Give added realism to your models and craft projects with a little paint and an airbrush. Paasche's **2000VL** Hobby Kit is for the amateur or professional hobbyist.

### 2000VL COMPONENTS:

VL#3	Double-Action Internal-Mix Airbrush
VL-1-OZ	Bottle Assembly (1oz/29cc)
H-194	Bottle, Cap/Gasket (1oz/29cc)
HP-1/8-6	6' Air Hose w/Couplings
A-34 & V-62	Hanger & Wrench
TTALB	"22 Airbrush Lessons" Booklet
Parts List	

Shipping Weight: 1 lb. 1 oz. (482g)



## VL-CARD Airbrush Card Set

Paasche's **VL-CARD** Set is ready for display on any type of hook display board. An easy fun way to get started airbrushing with many essential airbrush items - for the beginning hobbyist.

### VL- CARD COMPONENTS:

VL#3	Double-Action Internal-Mix Airbrush
VL-1-OZ	Color Bottle Assem. (1oz/29cc)
HP-1/8-6	6' Air Hose w/Couplings
V-62	Wrench

Shipping Weight: 10 oz. (283g)



## TS#3L SIPHON FEED TALON Airbrush *Less Accessories*

The siphon feed **TALON** was designed to deliver finer detail than our other siphon models and will also use our TAF-3 Fan Aircap for broad coverage. The **TALON** siphon model is 100% made in the U.S.A. at our Chicago, Illinois Plant.

### TS#3L FEATURES INCLUDE:

- Dual Action Siphon Feed
- .66mm Nickel Silver Tip installed
- Anodized Aluminum Handle
- Teflon® needle packings



TAF-3

### Options for Talon:

- .38mm Head - for finer detail down to a hair line
- TAF-3 FAN AIRCAP for .66mm head - gives 2-1/2 to 3 inch flat pattern
- TAL-34 Cut-away handle with stop

Shipping Weight: 7 oz. (198g)



## TS-SET SIPHON FEED- TALON Airbrush Set

### TS-SET COMPONENTS:

TS#3	Double-Action Siphon Airbrush w/.66mm Head
A-1/8-6	6' Air Hose w/Couplings
VL-1/4-OZ	Metal Color Cup (1/4oz/7cc)
VL-1-OZ	Bottle Assembly (1oz/29cc)
H-194	Bottle, Cap/Gasket (1oz/29cc)
TT-2	Tip (.38MM)
TN-2	Needle (.38MM)
TA-2	Aircap (.38MM)
A-34	Hanger
TAL-35	Allen Wrench
TAL-28	Wrench
TTALB	"22 Airbrush Lessons" Booklet
Parts List	

Shipping Weight: 1 lb. 8 oz. (680g)





# AIRBRUSH – DOUBLE ACTION – SIPHON FEED – INTERNAL MIX

The MILLENNIUM (MIL) Airbrush Design and Packaging are Trademarks (TM) of Paasche Airbrush Company.

## MILLENNIUM



### MILLENNIUM SIPHON FEED Airbrush

Features a thin barrel grip and a cut-away red anodized handle that allows quick pullback of needle mechanism to blow out clogs. Round trigger button rolls under your finger for greater comfort and better control. Optional Color Cup and Bottle Assemblies are available for larger volumes of paint (see page 23). The same pressure and volume air requirements as the VL Airbrush. **Teflon® packings.**

**Size #1** Light Fluids-Spray Pattern 1/64"- 1" (.55mm Tip opening)

**Size #3** Medium Fluids-Spray Pattern 1/32"- 1 1/4" (.73mm Tip opening)

**Size #5** Heavy Fluids-Spray Pattern 1/16"- 1 1/2" (1.07mm Tip opening)

### Airbrush only (Less Accessories)

#### MIL#3L

*To convert to size #1 or #5 buy matched -Tip, Needle and Aircap*

Recommended Air Pressure .5 to 1 CFM @ 20 to 45 lbs. depending on tip size and fluid being sprayed. Clean, dry air is essential for best results.

Shipping Weight: 6 oz. (170g)

### Millennium Airbrush Complete

#### MIL#3

*To convert to size #1 or #5 buy matched -Tip, Needle and Aircap*

#### COMPONENTS:

**MIL#3** Double-Action Airbrush, **VL-189** Head Protecting Cap, **VL-1/4-OZ** Metal Color Cup (1/4oz/7cc), **V-62** Wrench, **A-34** Hanger, **TTALB** "22 Airbrush Lessons" Booklet, **Parts List** and **Storage Case**.

Shipping Weight: 12 oz. (340g)



### MIL-SET MILLENNIUM Airbrush Set

#### MIL-SET COMPONENTS:

**MIL#3** Double-Action, Siphon Feed Airbrush  
**VL-1/4-OZ** Metal Color Cup (1/4oz/7cc)  
**VL-1-OZ** Color Bottle Assem. (1oz/29cc)  
**H-194** Bottle, Cap/Gasket (1oz/19cc)  
**A-34 & V-62** Hanger & Wrench  
**A-1/8- 6** 6' Air Hose w/Couplings  
**TTALB** "22 Airbrush Lessons" Booklet  
**Parts List**

Shipping Weight: 1 lb. 1 oz. (482g)




### MIL-WOOD SIPHON FEED Airbrush Set ( year 2011 part No. change to MIL-3W )

#### MIL-WOOD COMPONENTS:

**MIL#3** Double-Action Airbrush  
**VL-1-OZ** Color Bottle Assembly (1oz/29cc)  
**H-194** 1oz. Bottle, Cap/Gasket (1oz/29cc)  
**VL-1/4-OZ** Metal Color Cup (1/4oz/7cc)  
**A-1/8-6** 6' Air Hose w/AC-20 & AC-1/8  
**A-34 & V-62** Hanger & Wrench  
**TTALB** "22 Airbrush Lessons" Booklet  
**VLT-1 & VLT-5** Tips  
**VLN-1 & VLN-5** Needles  
**VLA-1 & VLA-5** Aircaps

#### Parts List

Shipping Weight: 2 lbs. 12 oz. (1.25kg)



# AIRBRUSH – DOUBLE ACTION – GRAVITY FEED – INTERNAL MIX

The 'TG' TALON Airbrush Design and Packaging are Trademarks (TM) of Paasche Airbrush Company.

REMARKABLE  
NEW! TALON



## TG#2L GRAVITY FEED - TALON Airbrush Less Accessories

The newest addition to the Paasche Airbrush line is the gravity feed "Talon". The Talon was designed to be our high end airbrush and will deliver the highest level of detail and control. The trigger and air valve have been redesigned to allow for a smoother stroke as well as ease of assembly and durability. The Talon is also 100% made in the USA at our Chicago plant.

### TG#2L FEATURES INCLUDE:

- Dual Action Gravity Feed
- .38mm Nickel Silver Tip installed
- .4 Ounce (11.8cc) Cup with Cover
- New Style Trigger, Piston and Air Valve
- Cut-Away Handle w/ Pre-set Needle Stop
- Crown Aircap
- Teflon® needle packings

### Options for Talon

- .25mm Head - for finer detail down to a hair line
- .66mm Head - for Metallics, Pearlescent and thicker paints
- TAF-3 FAN AIRCAP for .66mm head - gives 2-1/2 to 3 inch flat pattern



TAF-3

The TALON is suitable for any application requiring fine detail up to 3" pattern utilizing the TAF-3 Fan Aircap. Applications include: Graphic Arts, Automotive Graphics, Illustration, Finger Nail, Art, Taxidermy, Etc.

Shipping Weight: 7 oz. (198g)



## TG-SET GRAVITY FEED - TALON Airbrush Set - NEW FROM PAASCHE

TWO HEAD SIZES, #2 ASSEMBLED, #3 EXTRA

### TG-SET TALON COMPONENTS:

TG#2-TALON	Double-Action Gravity Feed Airbrush with .38mm Head Assembly installed on Airbrush
A-1/8-6	6' Braided Air Hose w/Couplings
TA-3	.66mm Aircap
TN-3	.66mm Needle
TT-3	.66mm Tip
TAL-35	Allen Wrench
TAL-28	Wrench
A-34	Hanger
TTALB	"22 Airbrush Lessons" Booklet
Storage Case	

Shipping Weight: 14 oz. (397g)



## TG-3F GRAVITY FEED - TALON Airbrush Set - NEW FROM PAASCHE

ALL THREE HEAD SIZES, #2 ASSEMBLED, #1 & #3 EXTRA


### TG-3F TALON COMPONENTS:

TG#2-TALON	Double-Action Gravity Feed Airbrush with .38mm Head Assembly installed on Airbrush
A-1/8-6	6' Braided Air Hose w/Couplings
TAF-3	Fan Aircap for .66mm head - gives 2-1/2" to 3" flat pattern
TA-1 and 3	.25mm Aircap and .66mm Aircap
TN-1 and 3	.25mm Needle and .66mm Needle
TT-1 and 3	.25mm Tip and .66mm Tip
TAL-35	Allen Wrench
TAL-28	Wrench
A-34	Hanger
TTALB	"22 Airbrush Lessons" Booklet
Storage Case	

Shipping Weight: 15 oz. (425g)

# AIRBRUSH – DOUBLE ACTION – GRAVITY FEED – INTERNAL MIX

The VLS, VSR90 and VJR Airbrush Designs and Packaging are Trademarks (TM) of Paasche Airbrush Company.



## 54-1, 54-3 or 54-5 AIRPAINTING UNIT

This is the only practical production airbrush model available. The VLS airbrush, fed by a quart container, is perfect for the hobbyist and manufacturer coating or touching up a wide variety of products. Select either **VLS#1**, **VLS#3**, or **VLS#5** depending upon viscosity of fluid and size of pattern desired.

### 54-1, 54-3 or 54-5 COMPONENTS:

<b>VLS#1, #3 or #5</b>	Double-Action Airbrush (Select one)
<b>54VL-1</b>	1 qt. Bottle Assembly 32 oz. (0.946 l.)
<b>A-1/8-6</b>	6' Air Hose w/Couplings
<b>HL-VLS-20-6</b>	Fluid Hose w/Couplings
<b>HF-33</b>	Coupler

### Parts List

**Optional: R-75** Regulator and Filter W/Gauge

Shipping Weight: 3 lbs. 8 oz. (1.587kg) with optional R-75



## VSR90#1 GRAVITY FEED Airbrush Set

The unique 2 in 1 design allows for quick color change by making available 2 different size color cups. Cups attach to top of airbrush assembly and swivel left or right for an unobstructed view. Suited for both left or right handed user. Extra needle, aircap and tip are included to convert airbrush for heavier fluids and broader coverage. Great for graphics, illustration or nail airbrushing. Recommended Air Pressure .5 to 1 CFM @ 15 to 35 lbs. Clean, dry air is essential for best results.

**VSR90#1** Spray Pattern-Hairline- 1", Light Fluid (.25mm Tip opening)

**Size #2** Spray Pattern 1/32"- 1", Medium Fluid (.66mm opening)


### VSR90 COMPONENTS:

<b>VSR90#1</b>	Double-Action Gravity Feed Airbrush
<b>A-1/8- 6</b>	6' Air Hose w/Couplings
<b>VSR-1</b>	Small Color Cup (1/8oz/3.5cc)
<b>VSR-2</b>	Large Color Cup-3/16 oz. (3/16oz/5.25cc)
<b>A-34 and V-62</b>	Hanger and Wrench
<b>VN-2, VT-2 and VA-2</b>	Needle, Tip and Aircap to convert to <b>size #2</b> .

### Parts List

**Storage Case Not Shown**

Shipping Weight: 1lb. 8 oz. (681g)



## VJR#1 or VJR#2 Airbrush Complete GRAVITY FEED

For the professional who needs a wider range of patterns than offered by the AB. Perfect for the project that requires detailing, tinting and shading. The "VJR" with its color cup built into the top of the body, promotes quick and easy color changes and is suited for both left and right-handed users. Great for nails! **Teflon® packings**.

**Size #1** Light Fluids -Spray Pattern-Hairline - 1" (.25mm Tip opening)

**Size #2** Medium Fluids - Spray Pattern 1/32" - 1" (.66mm Tip opening)

Recommended Air Pressure .5 CFM @ 15 to 35 lbs. Clean, dry air is essential for best results.

### VJR COMPONENTS:

**VJR#1 or #2** (Select one size) with built-in Cup (1/64oz/.5cc), **A-34** Hanger, **V-62** Wrench, **TTALB** "22 Airbrush Lessons" Booklet, **V-189** Head Protecting Cap, **Parts List** and **Storage Case**.

Shipping Weight: 10 oz. (283g)





# AIRBRUSH – DOUBLE ACTION – GRAVITY or SIDE FEED – INTERNAL MIX

The VJR and V Airbrush Designs and Packaging are Trademarks (TM) of Paasche Airbrush Company.

## NK NAILKIT Gravity Feed Airbrush Kit

An Airbrush Kit for the Professional Manicurist.

### NK COMPONENTS:

<b>VJR#2</b>	Gravity Feed with built-in cup (1/64oz/.5cc)
<b>HP-1/8-6</b>	6' Plastic Air Hose w/Couplings
<b>V-62</b>	Wrench
<b>A-34</b>	Hanger
<b>TTALB</b>	"22 Airbrush Lessons" Booklet
<b>STENCIL-1</b>	Nail Design Stencil

### Parts List

Shipping Weight: 14 oz. (397g)



## V#1 or V#2 Airbrush Complete - Right Hand - SIDE FEED

### VV#1 Airbrush Complete - Left Hand - SIDE FEED

To convert VV#1 to size #2 buy matched -Tip, Needle & Aircap

The "V" Series Siphon Feed offers the ultimate in versatility and control for detail, tinting and shading. Interchangeable metal color cup (1/8oz/3.5cc) for small volumes of paint comes with the airbrush. Optional Color Cups and Bottle Assemblies are available for larger volumes of paint (see page 23). **Teflon® packings.**

**Size #1** Spray Pattern-Hairline -1", Light Fluid (.25mmTip opening)

**Size #2** Spray Pattern 1/32" -1", Medium Fluid (.66mm opening)

### COMPONENTS:

**V#1, V#2 or VV#1** Double-Action Right or Left Hand Airbrush (Select Type), **V-1/8-OZ** Metal Color Cup (1/8oz/3.5 cc), **A-34** Hanger, **V-62** Wrench, **V-189** Head Protector Cap, **TTALB** "22 Airbrush Lessons" Booklet, **Parts List** and **Storage Case**. Recommended Air Pressure .5 CFM @ 15 to 35 lbs. Clean, dry air is essential for best results.

Shipping Weight: 10 oz. (283g)



## V-SET Airbrush Set - Right Hand - SIDE FEED

### VV-SET Airbrush Set - Left Hand - SIDE FEED

### COMPONENTS:

<b>V#1 or VV#1</b>	Double-Action Right or Left Hand Airbrush (Select type)
<b>A-1/8- 6</b>	6' Air Hose w/Couplings
<b>V-1/4-OZ</b>	Metal Color Cup (1/4oz/7cc)
<b>VFA-1-OZ</b>	(1 pc.) Color Bottle Assembly (1oz/29cc)
<b>H-194</b>	Bottle, Cap/Gasket (1oz/29cc)
<b>V-189</b>	Head Protecting Cap
<b>VN-2, VT-2 and VA-2</b>	Needle, Tip and Aircap
<b>A-34 and V-62</b>	Hanger and Wrench
<b>TTALB</b>	"22 Airbrush Lessons" Booklet

### Parts List


Shipping Weight: 1 lb. 1 oz. (482g)



# AIRBRUSH – SINGLE ACTION – SIPHON FEED – EXTERNAL MIX

*The H and HS Airbrush Designs are Trademarks (TM) of Paasche Airbrush Company.*

The world's most popular airbrush - recommended for all skill levels. Sturdy and flexible, the **H & HS** airbrushes are dependable and adaptable for practically any hobby or artistic use. The Model **H** has a Tapered Socket for securing Bottle or Cup and the Model **HS** has a Threaded Swivel Nut for extra secure attachment to Bottle Assemblies. These Airbrushes come in three sizes—1, 3 or 5, with the purchase of different size Aircap and Color Adjusting Part any size originally purchased can be converted to the other sizes or buy a Set which includes all three Aircaps and Color Adjusting Parts. Suitable for both left and right-handed users. Optional Color Cup and Bottle Assemblies are available (see page 23).



- Size #1** Light Fluid-Spray Pattern 1/32"- 1", (.45mm Tip opening)
- Size #3** Medium Fluid-Spray Pattern 3/64"- 1 1/4", (.63mm opening)
- Size #5** Heavy Fluid-Spray Pattern 1/16"- 1 1/2", (1.07mm opening)

## Airbrush only (Less Accessories)

**H#1L, 3L or 5L**

**HS#1L, 3L or 5L**

Recommended Air Pressure .5 to 1 CFM @ 20 to 45 lbs. depending on tip size and fluid being sprayed. Clean, dry air is essential for best results.

Shipping Weight: 7 oz. (198g)



## Airbrush Complete

**H#1, H#3 or H#5**

**HS#1, HS#3 or HS#5**

### COMPONENTS:

**H or HS Single Action Airbrush** (Select Size and Type), **H-1/4-OZ** Metal Color Cup (1/4oz/7cc), **F-186** Wrench, **A-34** Hanger, **TTALB** "22 Airbrush Lessons" Booklet, **Parts List** and **Storage Case**. V-62 Wrench for HS Model only.

Shipping Weight: 12 oz. (340g)



## H-SET Airbrush Set

### H-SET COMPONENTS:

- H#1** Single-Action Airbrush
- A-1/8-6** 6' Air Hose w/Couplings
- H-1/4-OZ** Metal Color Cup (1/4oz/7cc)
- H-1-OZ** Color Bottle Assembly (1oz/29cc)
- H-194** Bottle, Cap/Gasket (1oz/29cc)
- H-3 & 5** Color Adjusting Parts
- HC-3 & 5** Aircaps
- F-186** Wrench
- A-34** Hanger
- TTALB** "22 Airbrush Lessons" Booklet
- Parts List**

Shipping Weight: 1 lb. 2 oz. (510g)



## HS-SET Airbrush Set

### HS-SET COMPONENTS:

- HS#1** Single-Action Airbrush
- A-1/8-6** 6' Air Hose w/Couplings
- H-1/4-OZ** Metal Color Cup (1/4oz/7cc)
- HS-1-OZ** Color Bottle Assembly (1oz/29cc)
- H-194** Bottle, Cap/Gasket (1oz/29cc)
- HS-3 & 5** Color Adjusting Parts
- HC-3 & 5** Aircaps
- F-186 & V-62** Wrenches
- A-34** Hanger
- TTALB** "22 Airbrush Lessons" Booklet
- Parts List**

Shipping Weight: 1 lb. 2 oz. (510g)



# AIRBRUSH – SINGLE ACTION – SIPHON FEED – EXTERNAL MIX

The H and HS Airbrush Designs and Packaging are Trademarks (TM) of Paasche Airbrush Company.



## **H202-SET** Airbrush Set ( year 2011 part No. change to H-202S )

### H202-SET COMPONENTS:

<b>MH#1</b>	Single-Action Airbrush
<b>A-1/8-6</b>	6' Air Hose w/Couplings
<b>H-1/4-OZ</b>	Metal Color Cup (1/4oz/7cc)
<b>H-1-OZ</b>	Color Bottle Assembly (1oz/29cc)
<b>H-194</b>	Bottle, Cap/Gasket (1oz/29cc)
<b>H-3 &amp; 5</b>	Color Adjusting Parts
<b>HC-3 &amp; 5</b>	Aircaps
<b>F-186</b>	Wrench
<b>A-34</b>	Hanger
<b>TTALB</b>	"22 Airbrush Lessons" Booklet
<b>Parts List</b>	

Shipping Weight: 1 lb. 3 oz. (538g)



## **HS202-SET** Airbrush Set ( year 2011 part No. change to HS-202S )

### HS202-SET COMPONENTS:

<b>MHS#1</b>	Single-Action Airbrush
<b>A-1/8-6</b>	6' Air Hose w/Couplings
<b>H-1/4-OZ</b>	Metal Color Cup (1/4oz/7cc)
<b>HS-1-OZ</b>	Color Bottle Assembly (1oz/29cc)
<b>H-194</b>	Bottle, Cap/Gasket (1oz/29cc)
<b>HS-3 &amp; 5</b>	Color Adjusting Parts
<b>HC-3 &amp; 5</b>	Aircaps
<b>F-186 &amp; V-62</b>	Wrenches
<b>A-34</b>	Hanger
<b>TTALB</b>	"22 Airbrush Lessons" Booklet
<b>Parts List</b>	

Shipping Weight: 1 lb. 3 oz. (538g)



## **AP-H** Paint Kit

Suitable for virtually any airbrush work including fine detail. Perfect for the Artist, Craftsman, Decorator and Hobbyist. This Kit includes (3) Paasche Extreme Airbrush Acrylic Paints and (1) Extreme Airbrush Cleaner.

### AP-H COMPONENTS:

<b>H#3</b>	Single-Action Airbrush
<b>A-1/8-4</b>	4' Air Hose w/Couplings
<b>H-1-OZ</b>	Color Bottle Assembly (1oz/29cc)
<b>21H</b>	Paint Bottle Cover Assemblies (3 each)
<b>APC-1</b>	Extreme Airbrush Cleaner, 1 oz. Bottle (1 only)
<b>AP - Acrylic Paint</b>	Extreme Acrylic Paints, 1 oz. Bottles (3 each, colors may vary)
<b>F-186</b>	Wrench
<b>Parts List</b>	

Shipping Weight: 1 lb. 2 oz. (510g)



## **2P-H** TRAVELER'S KIT

This airbrush spray kit is ideal for hobby or industrial work where a compressor or electricity is not available. The Pressure Tank contains a gas that will not harm the Earth's atmosphere. Read Pressure Tank label before using this item.

### 2P-H COMPONENTS:

<b>H#3</b>	Single-Action Airbrush
<b>A-1/8-4</b>	4' Air Hose w/Couplings
<b>H-1-OZ</b>	Color Bottle Assembly (1oz/29cc)
<b>H-194</b>	Bottle, Cap/Gasket (1oz/29cc)
<b>3B</b>	Tank Valve
<b>F-186</b>	Wrench
<b>NO.2</b>	Pressure Tank
<b>TTALB</b>	"22 Airbrush Lessons" Booklet
<b>Parts List</b>	

Shipping Weight: 2 lbs. 1.3 oz. (966kg)





# AIRBRUSH – SINGLE ACTION – SIPHON FEED – EXTERNAL and INTERNAL MIX

The H and SI Airbrush Designs and Packaging are Trademarks (TM) of Paasche Airbrush Company.



## 2000H HOBBY KIT

Give added realism to your models and craft projects with a little paint and an airbrush. Paasche's **2000H** Hobby Kit is for the amateur or professional hobbyist.

### 2000H COMPONENTS:

H#3	Single-Action Airbrush
H-1-OZ	Bottle Assembly (1oz/29cc)
H-194	Bottle, Cap/Gasket (1oz/29cc)
HP-1/8-6	6' Air Hose w/Couplings
A-34	Hanger
TTALB	"22 Airbrush Lessons" Booklet
Parts List	

Shipping Weight: 1 lb. 1 oz. (482g)



## H-CARD Airbrush Card Set

Paasche's **H-CARD** Set is ready for display on any type of hook display board. An easy fun way to get started airbrushing with many essential airbrush items - for the beginning hobbyist.

### H-CARD COMPONENTS:

H#3	Single-Action Airbrush
H-1-OZ	Color Bottle Assembly (1oz/29cc)
HP-1/8-6	6' Air Hose w/Couplings
V-62	Wrench

Shipping Weight: 10 oz. (283g)



REMARKABLE! NEW!  
SI AIRBRUSH



## SI#3 SIPHON FEED Airbrush Complete

Simple in design and operation, this airbrush is ideal for the Hobbyists and Crafters that are just learning to use an airbrush. The **SI** comes in 3 sizes - #1, #3 and #5 with the purchase of different size needles, tips and aircaps. Optional Color Cup and Bottle Assemblies are available (see page 23). **Teflon® packings.**

**Size #1** Light Fluid-Spray Pattern 1/64"- 1", (.55mm Tip opening), Buy Tip, Needle & Aircap

**Size #3** Medium Fluid-Spray Pattern 1/32"- 1 1/4", (.73mm opening)

**Size #5** Heavy Fluid-Spray Pattern 1/16"- 1-1/2", (1.07mm opening), Buy Tip, Needle & Aircap

Recommended Air Pressure .5 to 1 CFM @ 20 to 45 lbs. Clean, dry air essential for best results.

### SI COMPONENTS:

SI#3	Single-Action Airbrush
VL-1/4-OZ	Metal Color Cup (1/4oz/7cc)
V-62	Wrench
A-34	Hanger

Parts List  
Storage Case

Shipping Weight: 12 oz. (340g)



# AIRBRUSH – SINGLE ACTION – SIPHON FEED – INTERNAL MIX

*The SI Airbrush Design and Packaging are Trademarks (TM) of Paasche Airbrush Company.*



## 2000SI HOBBY KIT

Give added realism to your models and craft projects with a little paint and an airbrush. Paasche's **2000SI** Hobby Kit is for the amateur or professional hobbyist.

### 2000SI COMPONENTS:

SI#3	Single-Action Siphon Feed Airbrush
VL-1-OZ	Color Bottle Assembly (1oz/29cc)
H-194	Plain Jar, Cover & Gasket (1oz/29cc)
HP-1/8-6	6' Air Hose w/Couplings
A-34	Hanger
V-62	Wrench
TTALB	"22 Airbrush Lessons" Booklet
Parts List	

Shipping Weight: 1 lb. 1 oz. (482g)



## SI-SET Airbrush Set

Simple in design and operation, this airbrush set is ideal for Hobbyists and Crafters that are just learning to use an airbrush.

### SI-SET COMPONENTS:

SI#3	Single-Action Siphon Feed Airbrush (Size 3 assembled)
A-1/8-6	6' Air Hose w/Couplings
VL-1-OZ	Color Bottle Assembly (1oz/29cc)
VL-1/4-OZ	Metal Color Cup (1/4oz/7cc)
H-194	Plain Jar, Cover & Gasket (1oz/29cc)
VLT-1 and VLT-5	Tips
VLH-1 and VLH-5	Aircaps
SIN-1 and SIN-5	Needles
A-34 Hanger, V-62	Wrench
TTALB	"22 Airbrush Lessons" Booklet and <b>Parts List</b>

Shipping Weight: 1 lb. 1 oz. (482g)



## 62 SPRAYER

Operating on relatively low pressure, the **62** Sprayer efficiently sprays glazes, fixatives, medium consistency lacquers, varnishes and enamels. It handles the application needs which fall between an airbrush and a spray gun. Used by ceramists, furniture refinishers, vehicle decorators and other hobbyists. Use clean, dry air with pressure ranging from 20 to 45 lbs., depending on fluids being sprayed and effect desired.

### ORDER BY CATALOG NUMBER:

62-1-3	For Light Consistency Fluids with Plastic Bottle (1.02mm Tip opening)
62-2-3	For Medium Consistency Fluids with Plastic Bottle (1.61 Tip opening)

### 62 SPRAYER COMPONENTS:

62-17P	3 oz. Plastic Bottle (3oz/89cc)
--------	---------------------------------

### Parts List

Shipping Weight: 8 oz. (227g)

# AIRBRUSH – SINGLE ACTION – SIPHON FEED – EXTERNAL MIX

The F Airbrush Design and Packaging are Trademarks (TM) of Paasche Airbrush Company.



## **F#1** Airbrush Complete

This inexpensive airbrush is the perfect choice for simple hobby, instructional use and touch-up. The 'F' is easy to master and perfect for beginners. Optional Color Cup and Bottle Assemblies are available (see page 23).

**Size #1** Light Fluids-Spray Pattern 1/32" - 3/4", (.40mm Tip opening)

Recommended Air Pressure .5 to .75 CFM @ 15 to 30 lbs. Clean, dry air is essential for best results.

### **F#1 COMPONENTS:**

**F#1** Single-Action Airbrush, **F-1/4-OZ** Metal Color Cup (1/4oz/7cc), **F-186** Wrench, **A-34** Hanger, **TTALB** "22 Airbrush Lessons" Booklet, **Parts List** and **Storage Case**.

Shipping Weight: 10 oz. (283g)



## **F-SET** Airbrush Set

The **F-SET** is perfect for the beginner who wants an airbrush that is smaller and lighter than the Model 'H' Airbrush, but operates in the same manner. The Set includes everything needed to get started in airbrushing except the air compressor and paints.

### **F-SET COMPONENTS:**

**F#1** Single-Action Airbrush  
**F-1/4-OZ** Metal Color Cup (1/4oz/7cc)  
**H-194** Bottle, Cap/Gasket (1oz/29cc)  
**VFA-1-OZ** Color Bottle Assembly (1oz/29cc)  
**A-1/8-6** 6' Air Hose w/Couplings  
**F-186** Wrench and **A-34** Hanger  
**TTALB** "22 Airbrush Lessons" Booklet and **Parts List**

Shipping Weight 1 lb. 2 oz. (510g)



## **F-CARD** Airbrush Set

Paasche's **F-CARD** Set is ready for display on any type of hook display board. An easy fun way to get started airbrushing with many essential airbrush items - for the beginning hobbyist.

### **F-CARD COMPONENTS:**

**F#1** Single-Action Airbrush  
**VFA-1-OZ** Color Bottle Assembly (1oz/29cc)  
**HP-1/8-6** 6' Air Hose w/Couplings  
**V-62** Wrench

Shipping Weight: 8 oz. (227g)



## **EZ-STARTER** Airbrush Kit

**Paasche®** beginners kit for the first time user of an airbrush. Sprays oils and water-base materials. Each set complete with the following items:


Airbrush (one size only), **EZ-1-OZ** Color Bottle w/Adapter (1oz/29cc) page 23, Color Bottle w/Plastic Cap, Air Hose w/Couplings, 1/4" Pipe Adapter for attaching to Air Compressor, Wrench for Color Part, Valve for Propellant Cans and Eye Dropper.

Shipping Weight: 8 oz. (227g)





# AIRBRUSH PACKAGES



## 'H' AIRBRUSH – SINGLE ACTION – SIPHON FEED – EXTERNAL MIX

**H-100D BEGINNERS PACKAGE:** Perfect for the Beginner. The 'H' airbrush is easy to use and clean. It can be used with any thinned paint. The D500SR delivers clean dry air at 20-30 P.S.I.

- D500SR** Air Compressor 1/8HP, ETL Listed with Switch & R-75 Regulator
- AC-7** Airbrush Cleaning Kit with 7 cleaning brushes
- H#1** Single Action Siphon Feed Airbrush- External Mix
- A-1/8-6** 6' Air Hose w/ Couplings
- H-1/4-OZ** Metal Color Cup (1/4oz/7cc)
- H-1-OZ** Color Bottle Assembly (1oz/29cc)
- H-194** Bottle, Cap/Gasket (1oz./29cc)
- H-3 & H-5** Color Adjusting Parts
- HC-3 & H-5** Aircaps
- F-186** Wrench
- A-34** Airbrush Hanger
- TTALB** "22 Airbrush Lessons" Booklet

### Parts List

Shipping Weight: 10 lbs. 13 oz. (4.91kg)



## 'VL' AIRBRUSH – DOUBLE ACTION – SIPHON FEED – INTERNAL MIX

**VL-100D INTERMEDIATE PACKAGE:** The 'VL' is our most versatile double action airbrush. It is perfect for T-shirts, Taxidermy and most other applications. The D500SR delivers clean dry air at 20-30 P.S.I.

- D500SR** Air Compressor 1/8HP, ETL Listed with Switch & R-75 Reg.
- AC-7** Airbrush Cleaning Kit with 7 cleaning brushes
- VL#3** Double Action Siphon Feed Airbrush- Internal Mix
- A-1/8-6** 6' Air Hose w/ Couplings
- DVD-VL** Airbrushing instruction with the "VL"
- VL-1/4-OZ** Metal Color Cup (1/4oz/7cc)
- VL-1-OZ** Color Bottle Assembly (1oz/29cc)
- H-194** Bottle, Cap/Gasket (1oz./29cc)
- VLT-1 & 5** Tips
- VLN-1 & 5** Needles
- VLA-1 & 5** Aircaps
- A-34** Airbrush Hanger
- V-62** Wrench
- TTALB** "22 Airbrush Lessons" Booklet

### Parts List

Shipping Weight: 10 lbs. 13 oz. (4.91kg)



## 'TG' AIRBRUSH – DOUBLE ACTION – GRAVITY FEED – INTERNAL MIX

**TG-100D PROFESSIONAL PACKAGE:** The **TALON** is for the artist that requires the finest detail and control. Patterns from a hair line, using the Fine Aircap, Needle and Tip, up to 3 inches with the new TAF-3 Fan Aircap can be achieved. The D500SR will deliver clean dry air at 20-30 P.S.I.

- D500SR** Air Compressor 1/8HP, ETL Listed with Switch & R-75 Regulator
- AC-7** Airbrush Cleaning Kit with 7 cleaning brushes
- TG#2** TALON Double Action Gravity Feed Airbrush- Internal Mix
- A-1/8-6** 6' Air Hose w/ Couplings
- TAF-3** Fan Aircap for .66mm head - gives 2-1/2" to 3" flat pattern
- TA-1 & TA-3** .25mm Aircap and .66mm Aircap
- TN-1 & TN-3** .25mm Needle and .66mm Needle
- TT-1 & TT-3** .25mm Tip and .66mm Tip
- TAL-35** Allen Wrench
- TAL-28** Wrench
- A-34** Airbrush Hanger
- TTALB** "22 Airbrush Lessons" Booklet

### Parts List

Shipping Weight: 10 lbs. 11 oz. (4.85kg)

## AIRBRUSH – SPECIALTY – ITEMS

The AEC & AECR Air Eraser Designs and Packaging are Trademarks (TM) of Paasche Airbrush Company.

### **AEC** AIR ERASER WITH CARBIDE INSERT TIP



The Air Eraser is a versatile instrument that can erase color errors and act as an etching tool. Easy to handle, this smooth operating air eraser operates like a small sand blaster with very little difficulty and a great deal of accuracy. Used by hobbyists and manufacturers to clean jewelry and fine parts, remove discoloration, rust and corrosion, etch glass or cut monograms. It can also be used in dental laboratories.

Recommended Air Pressure: 20-65 lbs. Clean, dry air is essential for best results.

**AEC COMPONENTS:** AE-22 Cup Assem. w/ Cover (2oz/60cc), **Parts List**

**OPTIONAL ACCESSORIES:** A-1/8 Air Hose, R-75 Regulator, R2-1/4M Air Regulator/Condenser, A-34 Hanger, V-62 Wrench

Shipping Weight: 12 oz. (340g)

### **AEC-K** AIR ERASER KIT



This kit is for the professional technician, manufacturer or hobbyist who needs to delicately abrade. It can be used for decorative etching of glass, dental lab work, rust removal, color erasing or to smooth castings.

**COMPONENTS:** AEC Air Eraser with Steel Tip and Carbide Insert, AEX-6 6oz. Jar of Fast Cutting Compound (170g), A-1/8-4MT Air Hose with Moisture Trap, V-62 Wrench A-34 Hanger, 2DS (One) Disposable Respirator, **Parts List**.

Shipping Weight: 1 lb. 7 oz. (652g)



### **AECR** REMOTE FEED AIR ERASER (Maximum Cup Pressure 50 P.S.I.)

The AECR reproduces all the fine accomplishments of the AEC Air Eraser and with its Quart Cup offers greater flexibility through use of a quart container. This in turn, offers greater freedom of movement for the operator. The Optional R-75 Regulator with gauge and moisture drain gives user closer control of operating pressures as well as assisting in furnishing clean dry regulated air. Always wear protective equipment, Glasses and Respirator, when using Remote Feed Air Eraser.

**AECR COMPONENTS:** AECR Remote Feed Air Eraser, 20SCC Quart Cup 32 oz. (0.946 l.), AE-51 Cover Assembly, AE-52 Plastic Hose Assembly, AE-59 Gasket, A-1/8-6MT Air Hose W/MT Trap, 7-GN Gasket and **Parts List**.

**OPTIONAL ACCESSORIES:** R-75 Regulator & Filter w/Gauge, PBO-12 Safety Relief Valve, HF-592 Adapter, HF-33 Coupler (2)

Shipping Weight: 1 lbs. 9 oz. (708g)

### RECOMMENDED CUTTING COMPOUNDS FOR AIR ERASER AND ABRASIVE GUN:

#### FAST CUTTING COMPOUND - ALUMINUM OXIDE

AEX-6	6 oz. (170g)
AEX-5	5 lbs. (2.3kg)
AEX-25	25 lbs. (11.3kg)

#### MEDIUM CUTTING COMPOUND - PUMICE

AE-60Z	6 oz. (170g)
AE-2	2 lbs. (906g)

#### SLOW CUTTING COMPOUND - STARCH


SSO-6	6 oz. (170g)
SSO-2	1-1/2 lbs. (679g)





## AIRBRUSH – SPECIALTY – ITEMS

The H and FP Airbrush/Flow Pencil Designs and Packaging are Trademarks (TM) of Paasche Airbrush Company.



### LAC#3 ABRASIVE GUN

The **LAC#3** is used the same as the AEC Air Eraser but for larger jobs requiring fast cutting speed. Both have an adjustable feature which enables the user to control the amount of abrasive used. A 1/4" air connector is required. The LAC#3 has a carbide tip for longer life. Recommended Air Pressure: Cutting pressures range from 20-80 lbs. depending on abrasive or cutting speed desired.

**LAC#3 COMPONENTS:** Quart Container 32 oz. (0.946 l.), **Parts List**

**OPTIONAL ACCESSORIES:** HL-3/16 Air Hose (Specify Length), **80** Filter Respirator, **99** Paint and Vapor Respirator, **2DS** Softseal Respirator.

Shipping Weight: 1 lb. 3 oz. (538g)



### HAPK HOBBY AND AUTO PAINT KIT

This airbrush spray kit is ideal for auto, van, cycle, hobby and ceramics enthusiasts. Includes everything needed for touch-up, detail and striping.

**HAPK COMPONENTS:**

**H#3** Single-Action Airbrush

**FP-1/32** Flow Pencil

**62-1-3** Sprayer with Plastic Bottle (3oz/89cc)

**HP-3-OZ** Bottle Assembly (3oz/89cc)

**A-1/8-6** 6' Air Hose w/Couplings

**V-62** Wrench

**F-186** Wrench

**DB-40** Adapter

**TTALB** "22 Airbrush Lessons" Booklet

**Parts List**

Shipping Weight: 1 lbs. 9 oz. (708g)



### FP-1/32 FLOW PENCIL - STRIPING APPLICATOR - GRAVITY FEED

The **FP-1/32** Flow Pencil is an ideal instrument to flow lines onto a horizontal surface. Without masking or overspray, the operator can stripe models, wood products, metal products, metal parts and other surfaces needing decorative trim. Nib size determines width of stripe.

**FP-1/32 COMPONENTS:** Flow Pencil fitted with **LN-1/32** Nib, **LN-1/16**, **LN-1/64** and **LN-3/64** Nibs, **MU-20** Cover, **MU-21** 1 oz. Cup (29cc), **V-62** Wrench, **Parts List** and **Storage Box**.

Shipping Weight: 8 oz. (227g)

**OPTIONAL ACCESSORY:** **ALP-32 PRESSURE COLOR CUP** - 1 oz. (29cc)

This optional accessory fits only the **FP-1/32** Flow Pencil and is used for non free flowing materials, for embossed or raised lines. A spring operated plunger applies pressure to give uniform feed.

Shipping Weight: 3 oz. (85g)



L#1 SPRAYER HANDPIECE with LSC#1  
QUART CUP ASSEMBLY

### L SPRAYER HANDPIECE WITH QUART CUP ASSEMBLY

This unit is ideal for taxidermists, ceramists and hobbyists who wish to apply lacquers, varnishes, heavy glazes and paints. Available in four (4) tip sizes for light to heavier fluids. Air capacity of tips range from 1/2 to 6 CFM @ 50 PSI. Stipple and granulated effects require 15 to 25 lbs. air pressure depending on the material being used. Use HL-3/16 air hose. **NOTE:** For a complete unit, Handpiece and Quart Cup Assembly, order one size of each.

**L#1C, L#2C, L#3C, or L#4C COMPLETE UNIT - L SPRAYER and LSC CUP ASSEMBLY**

Shipping Weight of Complete Unit: 2 lb. 2 oz. (963g)

**L SPRAYER COMPONENTS:** Sizes must be Matched for **L SPRAYER** & **LSC CUP ASSEMBLY**

**L#1, L#2, L#3, or L#4** Sprayer Handpiece (Select one)

Shipping Weight of Sprayer Handpiece only: 10 oz. (283g)

**LSC#1, LSC#2, LSC#3, or LSC#4** Quart Cup Assembly 32 oz. (0.946 l) (Select one)

Shipping Weight of Cup Assembly only: 1 lb. 2 oz. (510g)

**LSC#2M or LSC#4M** Will have a **Metal Cover** for high temperature environments



## AIRBRUSH – SPECIALTY – ITEMS

### HVLP HIGH VOLUME LOW PRESSURE



#### **KRG MANUAL SPRAY GUNS** **GRAVITY FEED HVLP**

1.4 mm Fluid Nozzle and Needle.  
20.29 oz. nondrip plastic cup.  
Adjustable Fluid, Air and Fan  
controls. 10.5 CFM @ 50 P.S.I.

Optional sizes available:  
1.00 mm, 2.00 mm, 2.4 mm

Shipping Weight: 2 lbs. 3 oz. (992g)

#### **KRS MANUAL SPRAY GUNS** **SIPHON FEED HVLP**

1.4 mm Fluid Nozzle and Needle.  
One Quart Siphon with Clamp Cover.  
Adjustable Fluid, Air and Fan  
controls. 11.5 CFM @ 50 P.S.I.

Optional sizes available:  
1.00 mm, 2.00 mm, 2.4 mm

Shipping Weight: 2 lbs. 11 oz. (1.22kg)



**AUFB-SPRAY GUN**  
SHOWN WITH 20SC Qt.  
SIPHON CUP ASSEMBLY

#### **AU MANUAL SPRAY GUNS**

The **AUFB** or **AUTF** are for painting and finishing larger areas not attainable with an artist airbrush. ANF-Multipleheads, available in five sizes, can spray a narrow to broad pattern depending on which size is used. AR-Multipleheads produce a round pattern for line, detail, and stencil work. These Spray Guns have 1/4" fluid and air inlets. They require a minimum of .25 (1/4) to 3 C.F.M. @ 30 lbs. pressure depending upon viscosity of fluid and size of Multiplehead.

A selection of Gravity, Siphon and Pressure Feed containers for the AU-Series Spray Guns are listed below. Fluid containers must be purchased separately. For more information on the AU-Spray Guns, multiplehead sizes, spray patterns and fluid containers, contact the main office and request an Industrial Spray Equipment Catalog.

#### **MATERIAL CONTAINERS: SCREW COVER CUP and JAR ASSEMBLIES**

**20SC** Siphon Metal Cup Quart 32 oz. (.946 l)

Shipping Weight: 9.3 oz. (263g)

**26SC** Siphon Metal Cup 2 oz. (60cc)

Shipping Weight: 4.1 oz. (116g)

**27SC** Gravity Metal Cup 3 oz. (89cc)

Shipping Weight: 3 oz. (85g)

**43SCJ** Siphon Jar 3 oz. (89cc)

Shipping Weight: 6.2 oz. (176g)

**AUFB** (Gun Only)

Shipping Weight: 1 lb. 6 oz. (623g)

**AUTF** (Gun Only)

Shipping Weight: 11 oz. (312g)

**ACCESSORY: HL-3/16 Air Hose**  
(Specify length)



**AUTF-MANUAL SPRAY GUN**  
SHOWN WITH 27SC 3 OZ  
GRAVITY CUP ASSEMBLY



**AUTF-MANUAL SPRAY GUN**  
SHOWN WITH 43SCJ 3 OZ.  
SIPHON JAR ASSEMBLY

**26SC** 2oz.(60cc)    **27SC** 3oz.(89cc)    **43SCJ** 3oz.(89cc)



## AIR COMPRESSORS



### **D500**     **AIR COMPRESSOR (1/8 H.P.), ETL Listed**

Economical and suitable for all airbrushes spraying properly thinned fluids. Maximum 20 - 35 P.S.I. operating pressure depending on airbrush being used. The Paasche **D500** is an oilless piston compressor. Includes on-off switch in housing.

It operates on 110-120 Volt, 1 phase, 60Hz, and delivers .4 C.F.M. @ 20 P.S.I.

Shipping Weight: 8 lbs. 3 oz. (3.7kg)



### **D500SR**     **AIR COMPRESSOR (1/8 H.P.), ETL Listed with Switch & R-75 Regulator**

Economical and suitable for all airbrushes spraying properly thinned fluids. Maximum 20 - 35 P.S.I. operating pressure depending on airbrush being used. The Paasche **D500SR** is an oilless piston unit and comes with the **R-75** Regulator/Filter with gauge.

It operates on 110-120 Volt, 1 phase, 60Hz, and delivers .4 C.F.M. @ 20 P.S.I.

**R75** Regulator will regulate up to 35 P.S.I. depending on usage (intermittent or constant) and size of airbrush being used.

Shipping Weight: 8 lbs. 12 oz. (3.97kg)



### **D220R**     **AIR COMPRESSOR (1/6 H.P.), with Switch & R-75 Regulator**

Economical and suitable for all airbrushes spraying properly thinned fluids. It is capable of delivering 30 - 45 P.S.I. operating pressure depending on airbrush being used. The Paasche **D220R** is an oilless diaphragm unit and comes with the **R-75** Regulator/Filter with gauge.

It operates on 110-120 Volt, 1 phase, 60Hz, and delivers .7 C.F.M. @ 20 P.S.I.

**R75** Regulator will regulate up to 45 P.S.I. depending on usage (intermittent or constant) and size of airbrush being used.

Shipping Weight: 11 lbs. (5kg)

## AIR COMPRESSORS



### **DA300 AIR COMPRESSOR (1/8 H.P.), CSA Listed**

1/8 H.P. Piston Compressor with Auto shutoff. Compressor shuts off when airbrush is not in use. Operating pressure is 20 - 30 P.S.I. depending on airbrush being used. 120 VAC, 1 Ph, 60 Hz, 1.4 A, 20L/Min. (0.7CFM), Noise 53dB, 1720 rpm.

Shipping Weight: 8 lbs. 8 oz. (3.86kgs)



### **DA300R AIR COMPRESSOR w/Regulator, CSA Listed**

1/8 H.P. Piston Compressor with Auto shutoff. R-75 Regulator & Moisture Trap included.

Shipping Weight: 9.2 lbs. (4.2 kgs)



### **DA400 AIR COMPRESSOR (1/6 H.P.), CSA Listed**

1/6 H.P. Piston Compressor with Auto shutoff. Compressor shuts off when airbrush is not in use. Operating pressure 0 - 55 PSI depending on airbrush being used. 120VAC, 1Ph, 60 Hz, 42L/Min. (1.48CFM), 1720 rpm.

Shipping Weight: 12 lbs. 15 oz. (5.87kgs)



### **DA400R AIR COMPRESSOR w/Regulator**

1/6 H.P. Piston Compressor with Auto shutoff. R-75 Regulator & Moisture Trap included. [CSA Listed](#)

Shipping Weight: 13 lbs. 9 oz. (6.16kgs)



### **D3000R AIR COMPRESSOR (1/8 H.P.), ETL Listed**

This piston compressor is a tank mounted unit, designed for compactness and portability. The sturdy air tank stores reserve air volume and reduces pulsation. Air pressure in the tank is regulated with an automatic on/off limit switch to a maximum of 40 P.S.I. Unit maintains 20 P.S.I. for extended periods. The unit has a five foot grounded 3 wire cord.

The compressor features a **1/8 HP** motor which operates on 115 Volts, 1 Phase, 60Hz and draws .9 AMPS.

Shipping Weight: 13 lbs. (5.9kg)



### **NO.2 and NO.17 AIR PROPELLANT CANS**

Paasche offers two sizes (Small and Large) of these popular, portable and disposable cans of air propellant. [Paasche's air propellant blend does not contain C.F.C.'s which harm the ozone layer.](#) These units provide pressure for a short period of time and are recommended when electricity is not readily available. To control the air volume from the unit to the airbrush an additional 3B Pressure Tank Valve is needed.

**NO.2** Small Air Propellant - Single Can

Shipping Weight: 13 oz. (368g)

**NO.17** Large Air Propellant - Single Can

Shipping Weight: 1 lb. 12 oz. (794g)

**OPTIONAL ACCESSORY: 3B Pressure Tank Valve**



## AIR HOSE – ADAPTERS



### **MT** MOISTURE TRAP

Shown attached to an **A-1/8** air hose, is a small 2" long **MT** Moisture Trap Unit that removes water from the airline thus preventing moisture damage and inconvenience. Hose in picture not included with moisture trap.

Catalog Number: **MT**


Shipping Weight: 1.2 oz. (34g)



### **A-1/8** AIR HOSE

Constructed for durability this brightly colored braid over plastic tubing is the ideal air hose for use with all Paasche airbrushes. The coupling at the airbrush end is fitted with an "O" ring to prevent air leaks. Available in: 4', 6', 8', 10', 15', 20', 25' and 50' lengths. Couplings are sealed at the factory for safety and to prevent air leaks. Maximum working pressure is 100 P.S.I.

Catalog Number: **A-1/8-** (select length)




### **CH-10** COIL AIR HOSE

Sturdy and lightweight, this hose has a retractable action which keeps it from getting under foot. Available in 10' lengths ONLY. The coupling at the airbrush end is fitted with an "O" ring to prevent air leaks. Comes complete with: **A-1/4-40** Nut, **CH-1/8** Nipple (both airbrush end) and **N-1/4** Nut, **CH-1/8-1/4** Nipple (both Compressor end). Maximum working pressure is 80 P.S.I.

Catalog Number: **CH-10**


Shipping Weight: 2.7 oz. (77g)



### **HL-3/16** AIR HOSE

Constructed of braid covered tubing. Available in: 6', 8', 10', 15' and 20' lengths. Use this air hose with any Paasche equipment having 1/4" threads, such as 62 Sprayer, L-Sprayer and AU Spray Gun. Couplings are sealed at the factory for safety and to prevent leaks. Maximum working pressure is 100 P.S.I.

Catalog Number: **HL-3/16-** (select length)



### **HP-1/8 PLASTIC AIR HOSE**

This PVC air hose is lightweight and flexible. Available in 4', 6', 8' or 10' lengths and special lengths. Maximum working pressure is 65 P.S.I.

Comes complete with: **AC-20** Coupling (Airbrush End 'O' Ring Seal) and **AC-1/8** Coupling (Compressor End).

Catalog Number: **HP-1/8-** (select length)



#### **3A Needle Valve**

Can be used for controlling air volume to airbrush. It is connected to the valve casing of the airbrush before the air hose.  
Ship Weight: .3 oz. (9g)



#### **A-189 Adapter**

Converts Aerograph Brushes to use Paasche Air Hoses.  
Ship Weight: .11 oz. (3g)



#### **DB-40 Adapter**

Converts A-1/8" Air Hose for use with 62 SPRAYER.  
Ship Weight: .7 oz. (20g)



#### **A-151 Adapter**

Converts T & C and Badger brushes to use Paasche Air Hose.  
Ship Weight: .1 oz. (3g)



#### **A-191 Quick Disconnect**

Fast release of connection of Paasche Airbrush to Air Hose.  
Ship Weight: .5 oz. (14g)



#### **A-192 Hex Adapter w/Gasket**



#### **A-188 Adapter**

Converts Iwata Brushes to use Paasche Air Hoses.  
Ship Weight: .13 oz. (4g)



#### **M-66 Adapter**

Converts Paasche Airbrushes to use T & C and Badger air hoses.  
Ship Weight: .07 oz. (2g)

## ACCESSORIES - HARDWARE

### 3B PRESSURE TANK VALVE

Used with the Paasche No.2 and No.17 Air Propellant cans to control the air volume to the airbrush.

Shipping Weight: 1.3 oz. (37g)



### A-194 DELUXE AIRBRUSH HANGER

Shipping Weight: 9.5 oz. (270g)



### A-34 HANGER


Shipping Weight: .17 oz. (4.8g)



### AC-7 AIRBRUSH CLEANING KIT

Seven (7) piece airbrush cleaning outfit.

Shipping Weight: 1.3 oz. (37g)



### METAL HANDLES

Change the standard red Nylon handle by simply screwing on these Metal handles. The metal threads are more durable.

**AFV-143** For AB, F or V Airbrushes

Shipping Weight: 1 oz. (28g)

**HVL-202** For H and VL Airbrushes

Shipping Weight: 1.4 oz. (40g)



### CROWN-1 AIRCAP

Used for finger tip control of spray pattern.

Shipping Weight: .05 oz. (1.4g)



### AL-2 AIRBRUSH LUBE

2.4 fl.oz. (85ml), Special airbrush lube for internal parts on your airbrush.



### HF-1/4 VALVE ASSEMBLY

Used to control air source.

Shipping Weight: 3 oz. (85g)



### HF-1/4-90 ELBOW

This elbow (1/4M x 1/4M) is used to change the direction of air outlet.

Shipping Weight: 1.14 oz. (32g)



### HF-185 DETACHABLE COUPLING

Quick hose connections. A slight turn locks coupling and opens air valve, when detached, valve closes automatically.

Shipping Weight: 2.7 oz. (77g)



### HF-33 COUPLER

(1/4M x 1/4M) for use as an adapter.

Shipping Weight: .64 oz. (18g)



### HF-342 TEE

(1/4M x 1/4F x 1/4F) provides extra air outlets.


Shipping Weight: 2.5 oz. (71g)



### HF-467 3-WAY-TEE

(1/4M x 1/4F x 1/4M) provides extra air outlets.

Shipping Weight: 1.6 oz. (45g)



### HFM-2-1/4 MANIFOLD

For use with 2 airbrushes. Provides multiple air outlets and air shut-off at the manifold.

Shipping Weight: 9.6 oz. (273g)

### HFM-4-1/4 MANIFOLD

For 4 airbrushes

Shipping Weight: 1.3 lbs. (540g)



### PP-1, PP-3, PP-5 PAINT PICKER

Aircap fits all MIL, VL & VLS airbrushes for quick and easy cleaning of needle.

Shipping Weight: .03 oz. (.9g)



### UM-13 COUPLING

The (1/4F x 1/4F) coupling is used for connecting the HFM Manifold to Air Compressors that have male air outlets.

Shipping Weight: .5 oz. (14g)



### V-62 WRENCH

Shipping Weight: .22 oz. (6.2g)



### R-75 FILTER REGULATOR

The R-75 is an in-line low pressure regulator with a 60 P.S.I. gauge and moisture drain. This regulator gives user control of operating pressure as well as assisting in furnishing clean, dry and regulated air. Regulators must only be used as instructions and warnings specify. Five (5) micron filtration, 15 SCFM @ 50 P.S.I.

**Includes:** HF-33 1/4" M X 1/4" M Coupler

Shipping Weight: 10 oz. (284g)



### VL-127 STRAINER

Helps prevent large paint particles from entering the airbrush. It can be used with all Paasche bottle assemblies with white Teflon® color tube.

Shipping Weight: .04 oz. (1.14g)



### VL-134C HANDLE

Allows the user to quickly pull back on the needle locknut which clears any clogged paint that might be in the tip.

Shipping Weight: .2 oz. (6g)



### VL-134N HANDLE

Red Nylon Handle for VL

Shipping Weight: .2 oz. (6g)



### VLN-1POL & VN-1POL POLISHED NEEDLES

These Paasche needles have a hand polished surface which allows the ultimate in smooth trigger action.

**VLN-1POL** For VL#1, VLS#1 airbrushes. Shipping Wt.: .11 oz. (3g)

**VN-1POL** For V#1, VJR#1, VSR90#1 airbrushes. Shipping Wt.: .05 oz. (1.4g)



### M-155 STENCIL KNIFE

Paasche's stencil knife.


Shipping Weight: .62 oz. (18g)




## CUP – BOTTLE ASSEMBLIES

(Cover Assembly includes everything but the container)


### VL, MIL, SA or SI



### VLS and VLSTPRO




### V and VV




### F

### H



### HS



### EZ





## BOTTLES – COVERS – GASKETS – RESPIRATORS – AIRBRUSH STORAGE CASES



62-17P, 3oz. (89cc)  
Plastic Bottle



H-108, 3oz. (89cc)  
Glass Bottle



H-99, 1oz. (29cc)  
Glass Bottle



H-164, 1/2oz. (14.5cc)  
Glass Bottle



21H

These cover assemblies will fit Paasche's Acrylic Paint and Tattoo Ink Bottles and many other brands of Paint and Ink.



21VL



PB-2 (2 oz.) and PB-1 (1 oz.)  
Plastic Bottles can be used for Acrylic Paints or Tattoo Inks.



BPC, 3oz. (89cc)  
Plain Nylon Cover



H-190, 3oz. (89cc)  
Plain Metal Cover



H-191, 1oz. (29cc)  
Plain Metal Cover



H-165, 1/2oz. (14.5cc)  
Plain Cover & Gasket



3-JG, 3oz. (89cc)  
Fiber Gasket



5-G, 1oz. (29cc)  
Fiber Gasket



### **99 OV/N95 RESPIRATOR-PAINT & VAPOR**

This respirator is NIOSH approved to protect against most organic vapors and a minimum 95% efficient filtering of non-oil particulates. This typically includes Inks, Solvents, Lacquer and Enamel paints (including oil based paints) Welding Fumes, dusts and mists. **Read WARNING and INSTRUCTIONS IN PACKAGE.**

**99** Shipping Weight: 10 oz. (284g)

**99-8** N95 Replacement Filter Pads (16 per carton) Shipping Weight: 4 oz. (113g)

**99-9** Organic Vapor Cartridges (6 per carton) Shipping Weight: 4 oz. (113g)



### **80 N95 RESPIRATOR-DUSTS**

Should be used only with AEX, AE and SSO powders. **DO NOT use with Paints.** It is NIOSH approved to be a minimum 95% efficient in filtering out non-oil particulates. This typically includes dusts, welding fumes and non-oil mists. **Read all WARNINGS and INSTRUCTIONS IN PACKAGE.**

**80** N95 Respirator-Dusts only Shipping Weight: 10 oz. (284g)

**99-8** N95 Replacement Filter Pads (16 per carton) Shipping Weight: 4 oz. (113g)



### **2DS SOFTSEAL DISPOSABLE RESPIRATOR -DUSTS**

This single use respirator should only be used with AEX, AE and SSO powders. **Do not use with Paints.** It is NIOSH approved to be a minimum 95% efficient in filtering out non-oil particulates. This typically includes Dusts, Welding Fumes and non-oil mists. **Not for use against Paint Spray, Gases, Vapors or Asbestos.** **Read all WARNINGS and INSTRUCTIONS IN PACKAGE.**

**2DS** Softseal Respirator. Sold only in boxes of 20 Shipping Weight: 10 oz. (284g)



### **P-178 Deluxe Wood Case**

MIL, VL & VLSTPRO only

Shipping Weight: 1 lb. 15 oz. (880g)



### **P-177 Standard Case**

Fits all Airbrushes

Shipping Weight: 6.4 oz. (182g)

# LEISURE TAN® TANNING SOLUTIONS – AIRBRUSH TANNING SETS

## LT8-64 and LT8-128

8% DHA tanning solution is odor free - fragrance free and results in a great natural tan that lasts, on the average, 5-7 days.

## LT10-16, LT10-32, LT10-64 & LT10-128

## LT12-64 and LT12-128

Contain 10% or 12% DHA for people who like to be a little darker.

SKIN TYPE	COMMON SKIN CHARACTERISTICS	RECOMMENDED SOLUTION
Type I	Extremely sensitive to sun. Often red haired with freckles. Usually sunburns easily.	LT8 8% DHA Tanning Solution
Type II	Very sensitive to sun. Often fair skinned and blue or light colored eyes. Usually sunburns easily. Able to achieve Light tan.	LT8 8% DHA Tanning Solution LT10 10% DHA Tanning Solution
Type III	Sensitive to sun. Most Caucasians fit into this category. Sometimes gets sunburned. Achieves medium tan.	LT10 10% DHA Tanning Solution
Type IV	Moderately sensitive to sun. Often of Mediterranean, Hispanic or Asian descent. Sunburn a little. Usually tans well.	LT10 10% DHA Tanning Solution LT12 12% DHA Tanning Solution
Type V	Slightly sensitive to sun. Middle Eastern, Latino, Indian, Light-skinned African-Americans. Rarely sunburn, tan deeply.	LT12 12% DHA Tanning Solution

## LT10-16

Net Wt. 16 oz.  
Ship Wt. 2 lbs. (1.8kg)



## LT10-32

Net Wt. 32 oz.  
Ship Wt. 4 lbs. (3.6kg)

## LT8-64

Net Wt. 64 oz.  
Ship Wt. 8 lbs. (3.6kg)

## LT10-64

Net Wt. 64 oz.  
Ship Wt. 8 lbs. (3.6kg)

## LT12-64

Net Wt. 64 oz.  
Ship Wt. 8 lbs. (3.6kg)



## LT8-128

Net Wt. 128 oz.  
Ship Wt. 12 lbs. (5.5kg)

## LT10-128

Net Wt. 128 oz.  
Ship Wt. 12 lbs. (5.5kg)

## LT12-128

Net Wt. 128 oz.  
Ship Wt. 12 lbs. (5.5kg)



## TSX-4

**TAN EXTENDER**  
luxurious moisturizer combines DHA and Erythrulose. When used in between airbrush tans it will extend the life of the tan as well as help the tan to fade evenly.

Net Wt: 4oz.(119ml)  
Ship Wt: 8 oz.(227g)



## TS-500T TANNING SET

This Kit includes everything needed to start your tanning operation, home or salon.

### TS-500T COMPONENTS:

TS#3 Double-Action, Internal Mix, Siphon Feed Airbrush.  
D500 Air Compressor (1/8 H.P.) ETL Listed  
LT10-16 1 Pint (16 oz.) Leisure Tan® Tanning Solution  
VLP-3-OZ (1 pc.) Plastic Bottle Assembly (3oz/89cc)  
Storage Bottle (1 pc. each) BPC Cover & 62-17P Bottle  
A-1/8-10 10' Air Hose w/Couplings  
TAL-28 & TAL-35 one Box Wrench and one Allen Wrench

Shipping Weight: 1 lb. 3 oz. (538g)




## D200T TANNING SET

This spray system includes our 300T-000 Spray Gun for fast tanning coverage. The 300T-000 gives a pattern that is 5 to 6 inches wide which can cut your application time to under 5 minutes.

### D200T COMPONENTS:

D220R 1/6 HP, 115 Volts, 1 phase, 60 Hz Air Compressor w/ Regulator  
300T-000 Manual Spray Gun fan pattern  
200-1/2P 1/2PT Pressure Cup Assembly (8oz/.237 l)  
A-10-1/4 10' Braided Air Hose w/Couplings  
LT10-32 1 Quart (32 oz.) Leisure Tan® Tanning Solution

Shipping Weight: 17 lbs. (7.72kg)



## 300T-000 PROFESSIONAL SALON TANNING SET

This Set is ideal for the professional Day Spa or Salon as far as productive client turnover. The average time for a tanning session can be reduced by 50 to 75 percent. **Compressor recommendation:** This set requires one of the following: D200 or DA400R Compressor.

### 300T-000 COMPONENTS:

300T-000 Manual Spray Gun with  
200-1/2P 1/2PT Pressure Cup Assembly (8oz/.237 l)  
A-10-1/4 10' Air Hose w/Couplings

Shipping Weight: 2 lb. 2 oz. (963g)

## AIRBRUSH TANNING SETS – TATTOOING SETS



### **DA400T DELUXE QUICK APPLICATION TANNING KIT**

This Deluxe Quick Application Tanning Kit comes with an upgrade to the DA400 Air Compressor. The DA400 runs quieter and comes with an auto shutoff switch which turns the compressor off when you are not spraying.

#### **DA400T COMPONENTS:**

<b>DA400</b>	1/6 HP, 115 Volts, 1 Phase, 60 Hz, Air Compressor
<b>300T-000</b>	Manual Spray Gun fan pattern
<b>200-1/2P</b>	1/2PT Pressure Cup Assembly (8oz/.237 l)
<b>A-10-1/4</b>	10' Braided Air Hose w/Couplings
<b>LT10-32</b>	1 Quart (32 oz.) Leisure Tan® Tanning Solution

Shipping Weight: 18.2 lbs. (8.3kg)



### **D100H TANNING SET**

This system includes our H#3 Single-Action Airbrush, the D500 Air Compressor, A-1/8-10 Braided Air Hose, one HP-3-OZ Plastic Bottle Assembly, one Storage Bottle, one Pint of Solution.

#### **D100H COMPONENTS:**

<b>H#3</b>	Single Action, External Mix, Siphon Feed Airbrush
<b>D500</b>	Air Compressor (1/8 H.P.) <u>ETL Listed</u>
<b>A-1/8-10</b>	10' Braided Air Hose w/Couplings
<b>HP-3-OZ</b>	(1 pc.) Color Bottle Assembly (3oz/89cc)
<b>Storage Bottle</b>	(1 pc. each) BPC Plastic Cover and 62-17P Plastic Bottle
<b>LT10-16</b>	1 Pint (16 oz.) Leisure Tan® Tanning Solution
<b>F-186</b>	Allen Wrench

Shipping Weight: 18 lbs. (8.17kg)



### **TATTOO-SET**

A complete airbrush kit to get you started on your temporary tattoo projects.

#### **TATTOO-SET COMPONENTS:**

<b>H#3</b>	Single-Action Airbrush
<b>A-1/8-4</b>	4' Air Hose w/Couplings
<b>APC-1</b>	Extreme Airbrush Cleaner (1oz/29cc) Bottle ( <b>1 only</b> )
<b>TI - Tattoo Paints</b>	Basic Body Colors in (1oz/29cc) Bottles ( <b>3 each</b> )
<b>H-1-OZ</b>	Color Bottle Assembly (1oz/29cc)
<b>21H</b>	Paint Bottle Cover Assembly ( <b>3 each</b> )
<b>ST - Tattoo Stencil</b>	Each Stencil card has 3 Tattoos ( <b>2 Cards</b> )
<b>F-186</b>	Wrench

Shipping Weight: 1 lb. 7 oz. (652g)



### **BTS-SET STARTER TATTOO SET**

This starter set contains everything you need for airbrush tattooing. The 'VL' Double Action Airbrush for applying tattoo paint. The **D500** Air Compressor is small and quiet and comes with eight feet of Air Hose. Optional Tanning DVD: DVD-AM.

#### **BTS-SET COMPONENTS:**

<b>VL#3</b>	Double-Action Airbrush
<b>D500</b>	1/8 HP Air Compressor W/Switch
<b>A-1/8-8</b>	8' Braided Air Hose w/Couplings
<b>TI - Tattoo Paints</b>	Basic Body Colors in (1oz/29cc) Bottles ( <b>3 each</b> )
<b>21VL</b>	Paint Bottle Cover Assembly ( <b>3 each</b> )
<b>H-3-OZ</b>	Color Bottle Assembly (3oz/89cc)
<b>ST - Tattoo Stencil</b>	Popular Stencil Designs ( <b>2 cards of 3 each</b> )

Shipping Weight: 11 lbs. (5kg)



## TATTOOING SET - BOOKS - DVD'S



### PTS-SET *PROFESSIONAL TATTOO SET*

The professional Tattoo Set contains everything you need to begin your tattoo business. The D3000R Compressor is quiet and mounted on a tank with Regulator / Moisture Trap. Included are (3) VL#3 Double Action Airbrushes, (3) 1 oz. Cover Assemblies, (1) 3 oz. Bottle Assembly for cleaning, (1) 8' Air Hose with Quick Disconnect which makes switching from airbrush to airbrush quick and easy. (3) 1 oz. bottles of Tattoo Paint, (1) Deluxe Airbrush Hanger and (6) Stencil Designs - three designs on each of two cards.

#### PTS-SET COMPONENTS:

<b>VL#3</b>	Double-Action Airbrush (3 each)
<b>D3000R</b>	Air Compressor with Tank and R-75 Air Regulator
<b>21VL</b>	Paint Bottle Cover Assembly (3 each)
<b>A-1/8-8Q</b>	8' Air Hose w/Couplings and A-191 Quick Disconnect
<b>TI - Tattoo Paints</b>	Basic Body Colors in (1oz/30cc) Bottles (3 each)
<b>ST - Tattoo Stencils</b>	2 Popular Stencils (2 Sets of 3)
<b>A-194</b>	Deluxe Airbrush Hanger

Shipping Weight: 23 lbs. (11kg)



### DVD-AM *LEISURE TAN®*

30 minute airbrush tanning instructional program. Step by step instruction on application as well as maintenance of airbrush.

Shipping Weight: 12 oz.(340g)



### DVD-VL *AIRBRUSHING WITH THE VL*

Ryan Scott Weber and John Weber

This 30-minute DVD is designed to educate the beginning airbrush artist. It is designed for the Paasche VL airbrush, but will also teach the user on airbrushing in general. This video covers differences between internal and external mix, as well as single action and double action airbrushes.

Shipping Weight: 10.4 oz. (295g)



### TTALB *TWENTY TWO AIRBRUSH LESSONS FOR BEGINNERS*

New edition with translations in French, German and Spanish. This instructional booklet teaches the basics of airbrush control with easy to follow illustrated lessons using masks, stencils and frisket paper.

Shipping Weight: 2 oz. (57g)



### GSIA *GETTING STARTED IN AIRBRUSH*

Miller and Martin

A great book for beginners with 22 step-by-step demonstrations of all the basic level airbrush techniques.

Shipping Weight: 1 lb. 3 oz. (538g)



### TSA *T-SHIRT AIRBRUSHING*

Dale Boyd

Learn basic airbrush care, cleaning and beginning to advanced painting techniques with a Paasche Model VL Airbrush. Application on T-Shirts, Hats, and other soft goods.

Shipping Weight: 6 oz. (170g)

# PAASCHE STENCIL BOOKS & TATTOO STENCILS

Visit the Paasche website to view these items in more detail

## Stencil Books: Designs not to scale

SB-1 (100 Designs)



SB-5 (30 Large Designs)



SB-9 (100 Designs)



SB-10 (100 Designs)



## Nail Stencils: SN-10 (200 Designs)




## Tattoo Stencils: 1 through 8, each tattoo about 1-1/2" x 1-1/2"

ST-1 (3" X 10")



ST-2 (3" X 10")



ST-3 (3" X 10")



ST-4 (3" X 10")



ST-5 (3" X 10")



ST-6 (3" X 10")




ST-7 (3" X 10")



ST-8 (3" X 10")



ST-9 (7-3/4" x 9") (Belly Button)




ST-10 (6" x 7-1/4") (Arm Band)



ST-11 (5-3/4" x 8-3/4") (Arm Band)



ST-12 (6-1/2" x 9")



ST-13 (6" x 8-1/4")





# PAASCHE ACRYLIC PAINTS

## AP- EXTREME AIR AIRBRUSH PAINTS

Extreme Air Airbrush Paints are water-based paint products. State of the art pigment preparation and new acrylic polymer research places this coating on the cutting edge of paint technology. Extreme Air is the finest water reducible airbrush paint system available. **Available in 1 fl.oz. (35.5ml).**

Using specialized manufacturing techniques; the pigments are ground to an ink fine consistency. Extreme Air Acrylics are non-toxic and free of extender pigments, resulting in a pure paint which flows better, has brighter, cleaner colors, and overall better performance characteristics. Extreme Air Acrylics are infinitely compatible with water, allowing the user to control coverage and opacity.

For transparent or flat colors, Paasche supplies a Transparent Base and Flattener that can be added to any color. This allows you to customize the effect to each use.

- Highlights:**
- Superior coating for various applications
  - Ready to use
  - Easy to clean up
  - Flash point of over 200° F
  - Superior adhesion to any surface
  - Fewer spits and blockages
  - Freeze thaw stable
  - Overnight delivery of stock colors

These cover assemblies will fit Paasche's Acrylic Paint and Tattoo Ink Bottles and many other brands of Paint and Ink.

### "VL" STYLE AIRBRUSH



### "H" STYLE AIRBRUSH



## APC-1 & APC-16 EXTREME AIRBRUSH CLEANER

This product may be used to clean Acrylic Paints when they are wet to the touch or dry on the surface of the piece painted. For general purpose cleaner mix (1) part Extreme Cleaner with (1) part Windex™ and (1) part water. For cleaning the surface of pieces that have dried for an extended period of time apply a coating of Extreme Cleaner, allow to stay on the surface for (5) minutes. Spray a second coat of Cleaner on the surface. Paasche Extreme Acrylic Paints will rinse off the surface with a second application. Use in well ventilated area. Flash point 154° F. **Available in 1 fl. oz. (35.5ml). and 16 fl. oz. (568ml).**

## APR-1 EXTREME ACRYLIC RETARDER

Extreme Acrylic Retarder for use when detail or close (3 inches or less from surface) spraying is required. Add three (3) drops of water and 3 drops of Extreme Retarder to a 1/4 oz. container of Paasche Extreme Acrylic Paint. Mix well and spray. This will allow you to spray detail work without the accompanying tip build-up or "spits". Do not use this product to thin the paint unless doing close-up spraying. This product can be used for cleaning of Paasche Extreme Acrylic Paint. Use with adequate ventilation. Flash point 220° F. **Available in 2 fl. oz. (71ml).**

# AIRBRUSH – TEMPORARY TATTOO PAINT

### Basic Airbrush Colors

With an airbrush you can apply a large complex tattoo or large Tribal Armband in seconds! Paasche Tattoo Paints use only the finest ingredients and combined with our high quality airbrushes, the results cannot be beat. Our Tattoo Paints are made with only F.D.A. approved ingredients and produced under lab conditions. Paasche Temporary Tattoo Paints last 3-7 days. The tattoo usually starts to fade by the 4th day. This depends on the skin type and how well you take care of the tattoo.

### Glitter Tattoo Colors

The glitter paints contain a fine glitter and spray just like the basic colors. This allows you to apply the glitter at the same time as the tattoo paint saving time and giving better results.




### Protective Clear Coat

After spraying the tattoo with our protective clear coat extends the life of the tattoo and helps prevent tattoo wear.

## BASIC BODY COLORS

1 oz. and 2 oz. Bottles indicated by first of three numbers.

## GLITTER COLORS



AP-101	WHITE	
	1 fl.oz. (35.5ml)	
AP-102	CARBAZOL VIOLET	
AP-103	ULTRAMARINE BLUE	
AP-104	PHTHALO BLUE	
AP-105	PHTHALO GREEN	
AP-106	MEDIUM GREEN	
AP-107	YELLOW OCHRE	
AP-108	RAW SIENNA	
AP-109	ORGANIC YELLOW	
AP-110	MEDIUM YELLOW	
AP-111	TANGERINE	
AP-112	NAPTHOL RED LIGHT	
AP-113	DEEP RED	
AP-114	RUST	
AP-115	BURNT SIENNA	
AP-116	PURPLE	
AP-117	DETAIL BLACK	
AP-118	RAW UMBER	
AP-119	BURNT UMBER	
AP-120	CHOCOLATE	
AP-121	IVORY	
AP-122	CAMOFLEAGE	



## TURNTABLES – SPRAY BOOTHS

**TH-18**



**TL-12**



**TL-18**



### **TURNTABLES**

Paasche Turntables are available in both Manual and Airmotor operated types (Manual shown to the left - see Industrial Catalog for Airmotor driven types) to include bench and floor styles. Diameters are 12" and 18". They are capable of carrying parts up to 100 lbs. Airmotor Turntables attain speeds upwards of 20 rpm.

#### **TH-18**

TH manual pedestal turntable with adjustable height 21"- 35" and 18" diameter top.  
Shipping Weight: 17 lbs. 8 oz. (8kg)

#### **TL-12 and TL-18**

TL manual benchtop turntable, 4" fixed height, 12" or 18" diameter top.  
Shipping Weight: 9 lbs. (4.08kg)



#### **HSSB-22-16 HOBBY SHOP SPRAY BOOTH**


Rugged, compact in size and easy to assemble. This portable booth features galvanized metal for easy cleaning and durability. Working dimensions are 22" wide x 18-1/2" high, perfect for small ceramics to Radio Control Models. Equipped with 3 wire cord, 115 Volt, 1 phase, 60 cycle motor. Uses a carbon and fiberglass filter system. It is intended to remove larger particles from the air BUT WILL NOT REMOVE ALL HAZARDOUS MATERIALS FROM THE AIR. When spraying materials that have strong vapors or harmful chemicals, exhaust MUST be vented to the outside. If necessary, wear goggles and/or protective paint and vapor mask. See pg. 27 for Paint & Vapor Respirator. **Shown with SM-1390 Reducer for exhausting to the outside.**

Shipping Weight: 30 lbs. (13.6kg)

#### **HSSB-30-16 HOBBY SHOP SPRAY BOOTH - DOUBLE EXHAUST**

Working dimensions are 30" wide x 18-1/2" high, with two exhaust chambers to remove overspray to the outside. Other features are the same as above.

Shipping Weight: 44 lbs. (20kg)



#### **HB-16-13 HOBBY SPRAY BOOTH - If you purchase two booths, they can be combined into one larger booth.**

Rugged, compact in size and easy to assemble. Working dimensions are 16.5"W x 13.5"H x 19"D, perfect for small ceramics to Radio Control Models. Equipped with 3 wire cord, 115 Volt, 1 phase, 60 cycle motor, 25W. Uses a double fiberglass filter system. It is intended to remove larger particles from the air. NOT INTENDED FOR USE WITH HAZARDOUS MATERIALS, FLAMMABLE OR EXPLOSIVE PAINTS OR MATERIALS. If necessary, wear goggles and/or protective paint and vapor mask. See pg. 24 for Paint & Vapor Respirator. Comes with HB4X5 Reducer for exhausting to the outside.

Shipping Weight: 8.4 lbs. (3.8kg)



#### **BBF ECONOMY FILTER TYPE BENCH BOOTH**

Constructed of 20 gauge galvanized sheet steel in single or multiple sections. Ideal where space is a premium and allows operator to sit while working. Offers the convenience of AG- Fiber Glass Filters. This booth can accommodate optional Top or Back Exhaust and/or optional BBL Legs which convert booth from bench to freestanding booth. Extra set of AG- Fiber Glass Filters provided.

**BBF-2** — 2'(W) x 2'6"(D) x 2'(H)

Shipping Weight: 140 lbs. (63.6kg)

**BBF-3** — 3'(W) x 2'6"(D) x 2'(H)

Shipping Weight: 158 lbs. (71.7kg)

**BBF-4** — 4'(W) x 2'6"(D) x 2'(H)

Shipping Weight: 175 lbs. (79.5kg)



#### **EBF SINGLE EXHAUST FILTER TYPE BENCH BOOTH**

AG- Fiber Glass Filters, efficiently trap coating solids as they are drawn through the working area of the spray booth; resulting in cleaner operation and minimal accumulation of overspray on the fan blades, duct interior or exhaust stack. Supplied with extra set of AG- Fiber Glass Filters. Please specify Top or Back Exhaust. NOTE: Dimensions shown are for inside working area.

**EBF-3** — 3'(W) x 2'6"(D) x 2'(H)

Shipping Weight: 270 lbs.

**EBF-4** — 4'(W) x 2'6"(D) x 2'(H)

Shipping Weight: 310 lbs.

**EBF-5** — 5'(W) x 2'6"(D) x 2'(H)

Shipping Weight: 325 lbs.

**EBF-6** — 6'(W) x 2'6"(D) x 2'(H)

Shipping Weight: 345 lbs.

**EBF-8** — 8'(W) x 2'6"(D) x 2'(H)

Shipping Weight: 385 lbs

# SPRAY BOOTHS



## **TEBF TWIN FILTER BENCH BOOTH**

This booth provides work space for two or more operators. One exhaust unit provides the required ventilation for both sides of the booth. Rigidly constructed from 18 gauge galvanized sheet steel and supported by four legs on small booths; six on larger booths. This booth will accommodate top exhaust only. An extra set of AG fiber glass filters and visible draft gauge are supplied with each booth.

**TEBF-3** — 3'(W) x 1'6"(D) x 2'(H)

Shipping Weight: 270 lbs.

**TEBF-4** — 4'(W) x 1'6"(D) x 2'(H)

Shipping Weight: 310 lbs.

**TEBF-5** — 5'(W) x 1'6"(D) x 2'(H)

Shipping Weight: 325 lbs.

**TEBF-6** — 6'(W) x 1'6"(D) x 2'(H)

Shipping Weight: 345 lbs.

**TEBF-8** — 8'(W) x 1'6"(D) x 2'(H)

Shipping Weight: 385 lbs.



## **FABSF FILTER SHELF BOOTH**

Features 18 gauge galvanized steel panels with flanged edges. Filter sections include AG fiber glass filters which can be quickly and inexpensively replaced when necessary. These filter cells prevent overspray from being exhausted to the outside atmosphere and accumulating on the fan and exhaust piping. An extra set of AG fiber glass filters and draft gauge are supplied with each booth. Will accommodate top or back exhaust, and is available in many standard sizes or can be designed to meet your requirements. Openings are available, in roof or side panels, to accommodate lighting fixtures.

**FABSF-3** — 3'(W) x 2'(D) x 4'6"(H)

Shipping Weight: 450 lbs.

**FABSF-4** — 4'(W) x 3'(D) x 4'6"(H)

Shipping Weight: 600 lbs.

**FABSF-5** — 5'(W) x 3'(D) x 4'6"(H)


Shipping Weight: 700 lbs.

**FABSF-6** — 6'(W) x 3'(D) x 4'6"(H)

Shipping Weight: 800 lbs.

**FABSF-8** — 8'(W) x 3'(D) x 4'6"(H)

Shipping Weight: 1150 lbs.



## **FABF FILTER FLOOR BOOTH**

Filter Floor Booth features 18 gauge galvanized steel panels with flanged edges. Filter cell sections include AG fiber glass filters which can be quickly replaced when necessary. These filter cells provide maximum air flow with minimal face loading and pass-through of overspray. An extra set of filters and draft gauge are supplied with each booth. FABF booths will accommodate top or back exhaust. They are available in many standard sizes or can be designed to meet your requirements. Openings are available, in roof or side panels, to accommodate lighting fixtures.

**FABF-3** — 3'(W) x 3'(D) x 7'(H)

Shipping Weight: 525 lbs.

**FABF-4** — 4'(W) x 3'(D) x 7'(H)

Shipping Weight: 550 lbs.

**FABF-5** — 5'(W) x 3'(D) x 7'(H)

Shipping Weight: 575 lbs.

**FABF-6** — 6'(W) x 5'(D) x 7'(H)

Shipping Weight: 660 lbs.

**FABF-8** — 8'(W) x 6'(D) x 7'(H)

Shipping Weight: 1000 lbs.



## **FBBSL-2-6 FILTER SHELF BOOTH**

Filter Bench Booth features 18 gauge galvanized steel panels with flanged edges. Filter cell section includes AG fiber glass filters which can be quickly replaced when necessary. The filter cell provides maximum air flow with minimal face loading and pass-through of overspray. An extra set of filters and draft gauge are supplied with each booth. This Bench Booth is designed to meet a businesses needs and to comply with spray booth regulations. The Booth is shipped knocked-down flat and crated so assembly is required. The motor and optional light will need to be hard wired to a switch which your local electrician should supply.

Working Dimensions: 2'6" Wide x 3' Deep x 3'6" High

Overall Dimensions: 2'10" Wide x 3'2" Deep x 6' High

Features: 18 Gauge Galvanized Steel Panel construction • Belt Guard • Draft Gauge • Vent Ring • Two sets of Paint Filters • 12" Exhaust Vent with sparkless aluminum fan blade ( uses 12" round duct) • 1/4 H.P., 1 Phase, Totally Enclosed Motor • Full assembly instructions and drawings.

Shipping Weight: 341 lbs.

## **ACCESSORIES FOR PAASCHE SPRAY BOOTHS:**

<b>AG-12</b>	Glass Filters (50/ctn.) for Models EBF, BBF & TEBF
<b>AG-20</b>	Glass Filters (50/ctn.) for Models FABSF and FABF
<b>NO.25</b>	Draft Gauge
<b>BBL-1</b>	Set of four(4) Legs for Model BBF Only

Quality product, modern efficient design and outstanding performance, built to strict engineering standards required by Local Codes and OSHA safety requirements. Paasche is foremost in solving finishing and coating problems. If you do not find the exact Booth in this catalog to fit your requirements contact the Paasche Sales Office.

# LIMITED WARRANTY

Paasche Airbrush Company ("Paasche") warrants the product manufactured by it to be commercially free from any defects in material and workmanship for a one year period after the original date of consumer purchase. This warranty does not extend to any product that has been affected by wear or damage resulting from misuse, abrasion, corrosion, negligence, accident, tampering, faulty installation, inadequate maintenance, damage or casualty, or to any product that has been improperly repaired or altered in any way that affects the condition of operation of the equipment. In the case of accessories or components furnished, but not manufactured by Paasche, Paasche assigns to the buyer, to the extent permitted, the warranty of the manufacturer.

If the product should become defective within the warranty period, we will elect to repair or replace it free of charge, including return transportation provided it is delivered prepaid with proof of purchase (such as cancelled check or register receipt from place of purchase) to

## PAASCHE AIRBRUSH COMPANY

4311 North Normandy Avenue

Chicago, IL 60634-1395

Any questions regarding warranty service can be directed to Paasche at the address listed above.

Paasche shall not be liable for any damage, or loss, including, but not limited to, incidental or consequential damage for injury to persons, products, buildings, contents of buildings or other property, or for any other direct, incidental or consequential loss. The Buyer's exclusive remedy against Paasche for the breach of any obligation under this sales contract, whether derived from warranty or otherwise, shall be limited, as specified herein, to repair or replacement. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific rights, you may also have other rights which vary from state to state.



NATIONAL ART MATERIAL TRADE ASSOCIATION



4311 North Normandy Avenue

Chicago, IL 60634-1395

PHONE: 773-867-9191

FAX: 773-867-9198

Website: [www.paascheairbrush.com](http://www.paascheairbrush.com)

E-Mail: [info@paascheairbrush.com](mailto:info@paascheairbrush.com)

PAASCHE ART CATALOG



0 26614 10080 6

COMPRESSORS	PAASCHE®											
D200, D200R, D220R	E	E	E	E	E	E	E	E	E	G	E	G
D500, D500SR	G	G	G	E	E	E	E	G	E	NR	NR	NR
D3000R	G	G	G	E	E	E	E	G	G	NR	NR	NR
DA300, DA300R	G	G	G	E	E	E	E	G	E	NR	NR	NR
DA400R	E	E	E	E	E	E	E	E	E	E	E	E
 Made in the U.S.A.	VL - SERIES SIPHON DOUBLE ACTION	VLSTPRO SIPHON DOUBLE ACTION	MILLENNIUM SIPHON DOUBLE ACTION	TS - TALON SIPHON DOUBLE ACTION	V - SERIES SIPHON DOUBLE ACTION	TG - TALON GRAVITY DOUBLE ACTION	VSR90#1 GRAVITY DOUBLE ACTION	SI SIPHON SINGLE ACTION	H - SERIES SIPHON SINGLE ACTION	62 - SPRAYER SIPHON SINGLE ACTION	300T-000 SPRAY GUN	AEC, AECR ABRASIVE
APPLICATIONS												
Body Art Tattoo	E	E	E	E	NR	G	G	E	G	NR	NR	NR
Custom Auto & Motorcycle Graphics	G	E	E	E	NR	E	E	NR	NR	NR	NR	NR
T-Shirt Airbrushing	E	E	E	E	NR	NR	NR	NR	G	NR	NR	NR
Finger Nail / Makeup	NR	NR	NR	G	NR	E	E	G	NR	NR	NR	NR
Taxidermy	E	E	E	E	NR	E	G	E	E	G	NR	NR
Graphic Arts	G	E	G	E	E	E	E	NR	NR	NR	NR	NR
Illustrators	NR	NR	NR	E	G	E	E	NR	NR	NR	NR	NR
Leather Airbrushing	E	NR	E	E	NR	E	G	E	E	NR	NR	NR
Model / Trains / RC Cars	E	NR	E	E	NR	E	G	E	E	NR	NR	NR
Chip or Ding Repair	E	G	E	E	NR	G	G	E	E	NR	NR	NR
Ceramics	E	NR	E	E	NR	G	G	E	E	E	NR	NR
Cake Decorating	E	NR	E	E	NR	E	G	G	E	NR	NR	NR
Home - Airbrush Tanning	E	NR	NR	E	NR	NR	NR	G	E	NR	E	NR
Salon - Airbrush Tanning	E	NR	NR	E	NR	NR	NR	G	G	NR	E	NR
Glass Etching	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	E
E - EXCELLENT    G - GOOD    NR - NOT RECOMMENDED												

Paasche Airbrush Company reserves the right to make alterations, without prior notice, to the specifications and range of its equipment (including withdrawal of products) referred to in this catalog. All shipping weights, and fluid capacities listed in this catalog are approximate.